

PHILIPPINE BIDDING DOCUMENTS
(As Harmonized with Development Partners)

**Procurement of
INFRASTRUCTURE
PROJECTS**

Government of the Republic of the Philippines

Sixth Edition
July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Infrastructure Projects (hereinafter referred to also as the “Works”) through Competitive Bidding have been prepared by the Government of the Philippines for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations, government financial institutions, state universities and colleges, local government units, and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The PBDs are intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract; (ii) the eligibility requirements of Bidders; (iii) the expected contract duration; and (iv) the obligations, duties, and/or functions of the winning Bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Works to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

TABLE OF CONTENTS

Glossary of Terms, Abbreviations, and Acronyms	5
Section I. Invitation to Bid.....	8
Section II. Instructions to Bidders	11
1. Scope of Bid.....	12
2. Funding Information	12
3. Bidding Requirements.....	12
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	12
5. Eligible Bidders.....	13
6. Origin of Associated Goods	13
7. Subcontracts	13
8. Pre-Bid Conference.....	14
9. Clarification and Amendment of Bidding Documents.....	14
10. Documents Comprising the Bid: Eligibility and Technical Components.....	14
11. Documents Comprising the Bid: Financial Component	14
12. Alternative Bids	15
13. Bid Prices	15
14. Bid and Payment Currencies.....	15
15. Bid Security.....	15
16. Sealing and Marking of Bids.....	16
17. Deadline for Submission of Bids	16
18. Opening and Preliminary Examination of Bids	16
19. Detailed Evaluation and Comparison of Bids.....	16
20. Post Qualification.....	17
21. Signing of the Contract	17
Section III. Bid Data Sheet	18
Section IV. General Conditions of Contract.....	21
1. Scope of Contract.....	22
2. Sectional Completion of Works	22
3. Possession of Site	22
4. The Contractor's Obligations.....	22
5. Performance Security	23
6. Site Investigation Reports	23

7.	Warranty.....	23
8.	Liability of the Contractor.....	23
9.	Termination for Other Causes.....	23
10.	Dayworks	24
11.	Program of Work.....	24
12.	Instructions, Inspections and Audits	24
13.	Advance Payment.....	24
14.	Progress Payments	24
15.	Operating and Maintenance Manuals.....	24
Section V. Special Conditions of Contract.....		26
Section VI. Specifications		28
Section VII. Drawings.....		30
Section VIII. Bill of Quantities		31
Section IX. Checklist of Technical and Financial Documents		33

Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria.

The IB should be incorporated into the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



REPUBLIC OF THE PHILIPPINES
COMMISSION ON AUDIT
REGIONAL OFFICE NO. IX
Cabatangan Hills, Zamboanga City

Invitation to Bid for *CONSTRUCTION OF THREE (3) STOREY COA ROIX TRAINING CENTER & DORMITORY BUILDING with ROOF DECK, with the provisions for: Overhead Water Tank and Cistern Tank, Air-conditioning Units, Fire Detection and Alarm System, Fire Suppression System, Generator Set – 250KVA with ATS, Transformers, Powerhouse, Office & Dormitory Facilities and Miscellaneous Items (COA Logo & Lettering), Brgy. Turno, Dipolog City*

1. The *Commission on Audit, Regional Office No. IX, Zamboanga City*, through the *General Appropriations Act of 2023* intends to apply the sum of *Fifty Million Four Hundred Sixty-Seven Thousand Two Hundred Sixty-Five Pesos and 56/100 (PHP 50,467,265.56)* being the Approved Budget for the Contract (ABC) to payments under the contract for *CONSTRUCTION OF THREE (3) STOREY COA ROIX TRAINING CENTER & DORMITORY BUILDING with ROOF DECK, with the provisions for: Overhead Water Tank and Cistern Tank, Air-conditioning Units, Fire Detection and Alarm System, Fire Suppression System, Generator Set – 250KVA with ATS, Transformers, Powerhouse, Office & Dormitory Facilities and Miscellaneous Items (COA Logo & Lettering), Brgy. Turno, Dipolog City/COA RO IX-2023-003*. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The *Commission on Audit, Regional Office No. IX, Zamboanga City* now invites bids for the above Procurement Project. Completion of the Works is required *360 Calendar Days after the receipt of the Notice to Proceed*. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
4. Interested bidders may obtain further information from *Arnold P. Bejar – BAC Secretariat, Commission on Audit, Regional Office No. IX, Zamboanga City thru CP # 0997 978 8858* and inspect the Bidding Documents at the address given below from *9:00AM to 4:00PM (Mondays-Fridays)*.
5. A complete set of Bidding Documents may be acquired by interested bidders on *June 6, 2023 to June 27, 2023* from given address and website/s below *in the amount of*

Twenty-Five Thousand Pesos (PHP 25,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees **presented in person**.


6. The **Commission on Audit, Regional Office No. IX, Zamboanga City** will hold a Pre-Bid Conference¹ on **June 14, 2023 at 9:30AM** at **Commission on Audit, Regional Office No. IX, Cabatangan, Zamboanga City**, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through **manual submission** at the office address as indicated below, as indicated below on or before **9:30AM of June 27, 2023**. Late bids shall not be accepted.
8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 16.
9. Bid opening shall be on **9:30AM of June 27, 2023** at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. Interested bidders are requested to submit **One (1)** original and **Two (2)** copies of the first and second components of its bid.
11. The **Commission on Audit, Regional Office No. IX, Zamboanga City** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:

Mr. Arnold P. Bejar
BAC Secretariat
Commission on Audit, Regional Office No. IX
Cabatangan Hills, Zamboanga City
CP # 0997 978 8858
bacsec.coaro9@gmail.com
<https://coaregion9.ph>

13. You may visit the following websites:

For downloading of Bidding Documents: **<https://coaregion9.ph>**

June 5, 2023



LOURDES T. LIRIO
BAC Chairperson

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a pre-bid conference.

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, *Commission on Audit, Regional Office No. IX, Zamboanga City* invites Bids for the **CONSTRUCTION OF THREE (3) STOREY COA ROIX TRAINING CENTER & DORMITORY BUILDING with ROOF DECK**, with the provisions for: *Overhead Water Tank and Cistern Tank, Air-conditioning Units, Fire Detection and Alarm System, Fire Suppression System, Generator Set – 250KVA with ATS, Transformers, Powerhouse, Office & Dormitory Facilities and Miscellaneous Items (COA Logo & Lettering), Brgy. Turno, Dipolog City*, with Project Identification Number *COA RO IX-2023-003*.

The Procurement Project (referred to herein as “Project”) is for the construction of Works, as described in Section VI (Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for *FY 2022* in the amount of *Fifty Million Four Hundred Sixty-Seven Thousand Two Hundred Sixty-Five Pesos and 56/100 (PHP 50,467,265.56)*.

2.2. The source of funding is:

- a. NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA’s CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be “similar” to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor’s own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid special PCAB License in case of Joint Ventures, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. *Payment of the contract price shall be made in:*

- a. Philippine Pesos.

15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security shall be valid until **September 27, 2023**. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.

19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 16 shall be submitted for each contract (lot) separately.

19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet (BDS)

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause																																		
5.2	For this purpose, contracts similar to the Project refer to contracts which have the same major categories of work, which shall be: Construction of Buildings and/or Building Repairs																																	
7.1																																		
10.3																																		
10.4	<p>The key personnel must meet the required minimum years of experience set below:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>Key Personnel</u></th> <th style="text-align: center;"><u>General Experience</u></th> <th style="text-align: center;"><u>Relevant Experience</u></th> </tr> </thead> <tbody> <tr> <td>1. Project Engineer</td> <td style="text-align: center;">at least five (5) years</td> <td style="text-align: center;">at least five (5) years</td> </tr> <tr> <td>2. Materials Engineer</td> <td style="text-align: center;">-do-</td> <td style="text-align: center;">-do-</td> </tr> <tr> <td>3. Construction Foreman</td> <td style="text-align: center;">-do-</td> <td style="text-align: center;">-do-</td> </tr> <tr> <td>4. Safety Engineer/Safety Officer</td> <td style="text-align: center;">-do-</td> <td style="text-align: center;">-do-</td> </tr> <tr> <td>5. Electrical Engineer</td> <td style="text-align: center;">-do-</td> <td style="text-align: center;">-do-</td> </tr> <tr> <td>6. Mechanical Engineer</td> <td style="text-align: center;">-do-</td> <td style="text-align: center;">-do-</td> </tr> <tr> <td>7. Carpenter</td> <td style="text-align: center;">at least two (2) years</td> <td style="text-align: center;">at least two (2) years</td> </tr> <tr> <td>8. Electrician/Master Electrician</td> <td style="text-align: center;">-do-</td> <td style="text-align: center;">-do-</td> </tr> <tr> <td>9. Master Plumber</td> <td style="text-align: center;">-do-</td> <td style="text-align: center;">-do-</td> </tr> </tbody> </table>	<u>Key Personnel</u>	<u>General Experience</u>	<u>Relevant Experience</u>	1. Project Engineer	at least five (5) years	at least five (5) years	2. Materials Engineer	-do-	-do-	3. Construction Foreman	-do-	-do-	4. Safety Engineer/Safety Officer	-do-	-do-	5. Electrical Engineer	-do-	-do-	6. Mechanical Engineer	-do-	-do-	7. Carpenter	at least two (2) years	at least two (2) years	8. Electrician/Master Electrician	-do-	-do-	9. Master Plumber	-do-	-do-			
<u>Key Personnel</u>	<u>General Experience</u>	<u>Relevant Experience</u>																																
1. Project Engineer	at least five (5) years	at least five (5) years																																
2. Materials Engineer	-do-	-do-																																
3. Construction Foreman	-do-	-do-																																
4. Safety Engineer/Safety Officer	-do-	-do-																																
5. Electrical Engineer	-do-	-do-																																
6. Mechanical Engineer	-do-	-do-																																
7. Carpenter	at least two (2) years	at least two (2) years																																
8. Electrician/Master Electrician	-do-	-do-																																
9. Master Plumber	-do-	-do-																																
10.5	<p>The minimum major equipment requirements are the following:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>Equipment</u></th> <th style="text-align: center;"><u>Capacity</u></th> <th style="text-align: center;"><u>Number of Units</u></th> </tr> </thead> <tbody> <tr> <td>1. Mini Backhoe</td> <td></td> <td style="text-align: center;">One (1)</td> </tr> <tr> <td>2. Dump Truck</td> <td></td> <td style="text-align: center;">One (1)</td> </tr> <tr> <td>3. Pumpcrete</td> <td></td> <td style="text-align: center;">One (1)</td> </tr> <tr> <td>4. Concrete Vibrator</td> <td></td> <td style="text-align: center;">Two (2)</td> </tr> <tr> <td>5. Bar Cutter</td> <td></td> <td style="text-align: center;">Two (2)</td> </tr> <tr> <td>6. Bar Bender</td> <td></td> <td style="text-align: center;">Two (2)</td> </tr> <tr> <td>7. Welding Machine</td> <td></td> <td style="text-align: center;">One (1)</td> </tr> <tr> <td>8. Cutting Outfit</td> <td></td> <td style="text-align: center;">One (1)</td> </tr> <tr> <td>9. Truck Mounted Crane with bucket</td> <td></td> <td style="text-align: center;">One (1)</td> </tr> <tr> <td>10. Bagger Mixer</td> <td></td> <td style="text-align: center;">Two (2)</td> </tr> </tbody> </table>	<u>Equipment</u>	<u>Capacity</u>	<u>Number of Units</u>	1. Mini Backhoe		One (1)	2. Dump Truck		One (1)	3. Pumpcrete		One (1)	4. Concrete Vibrator		Two (2)	5. Bar Cutter		Two (2)	6. Bar Bender		Two (2)	7. Welding Machine		One (1)	8. Cutting Outfit		One (1)	9. Truck Mounted Crane with bucket		One (1)	10. Bagger Mixer		Two (2)
<u>Equipment</u>	<u>Capacity</u>	<u>Number of Units</u>																																
1. Mini Backhoe		One (1)																																
2. Dump Truck		One (1)																																
3. Pumpcrete		One (1)																																
4. Concrete Vibrator		Two (2)																																
5. Bar Cutter		Two (2)																																
6. Bar Bender		Two (2)																																
7. Welding Machine		One (1)																																
8. Cutting Outfit		One (1)																																
9. Truck Mounted Crane with bucket		One (1)																																
10. Bagger Mixer		Two (2)																																
12																																		
15.1	<p>The bid security shall be in the form of a Bid Securing Declaration or any of the following forms and amounts:</p> <p style="margin-left: 40px;">a. The amount of not less than PHP 1,009,345.31 two percent (2%) of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;</p>																																	

	b. The amount of not less than PHP 2,523,363.28 five percent (5%) of ABC if bid security is in Surety Bond.
19.2	Partial bids are allowed, as follows:
20	<i>Building Permit, Certificate of Occupancy upon Completion</i>
21	Additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity, such as construction schedule and S-curve, manpower schedule, construction methods, equipment utilization schedule, construction safety and health program approved by the DOLE, and other acceptable tools of project scheduling.

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Contractor, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. Possession of Site

3.1 The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the **SCC**, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.

3.2 If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC supplemented by any information obtained by the Contractor.

7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the SCC.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the SCC, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in ITB Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex “E” of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the **SCC**, the Dayworks rates in the Contractor’s Bid shall be used for small additional amounts of work only when the Procuring Entity’s Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

11.1. The Contractor shall submit to the Procuring Entity’s Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.

11.2. The Contractor shall submit to the Procuring Entity’s Representative for approval an updated Program of Work at intervals no longer than the period stated in the **SCC**. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity’s Representative may withhold the amount stated in the **SCC** from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor’s accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex “E” of the 2016 revised IRR of RA No. 9184.

14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity’s Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

15.1. If required, the Contractor will provide “as built” Drawings and/or operating and maintenance manuals as specified in the **SCC**.

- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
2	
4.1	
6	The site investigation reports are: <i>The project location is free from flooding; Covered by a deed of donation; and Secured by a concrete perimeter fence.</i>
7.2	Fifteen (15) years
10	a. Dayworks are applicable at the rate shown in the Contractor's original Bid.
11.1	The Contractor shall submit the Program of Work to the Procuring Entity's Representative within 10 Calendar Days of delivery of the Notice of Award.
11.2	The amount to be withheld for late submission of an updated Program of Work is <i>One Tenth of One Percent of the amount of the next payment certificate.</i>
13	The amount of the advance payment is <i>Fifteen percent (15%) of the Contract Price.</i>
14	
15.1	The date by which operating and maintenance manuals are required is <i>upon collection of final payment.</i> The date by which "as built" drawings are required is <i>upon collection of final payment.</i>
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is <i>the amount of final payment.</i>

Section VI. Specifications

Notes on Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of international competitive bidding, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBDs.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the SCC.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted

subject to the Procuring Entity's Representative's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity's Representative at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's Representative's consent. In the event the Procuring Entity's Representative determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.

Section VII. Drawings

[Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section, or annexed in a separate folder.]

To download the plans, please refer to this link:

<https://coaregion9.ph/bids-and-awards/invitation-to-bid>

09-05-2023 Plans - COA Training and Dorm Dipolog City

Plans - COA Training and Dorm Dipolog City - Part 01

Plans - COA Training and Dorm Dipolog City - Part 02

Plans - COA Training and Dorm Dipolog City - Part 03

Plans - COA Training and Dorm Dipolog City - Part 04

CO Training and Dorm - Dipolog City - Powerhouse Plan

Section VIII. Bill of Quantities

Notes on the Bill of Quantities

Objectives

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

Daywork Schedule

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

Signature Box

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix his signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

Section IX. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules; **and**
- (d) Special PCAB License in case of Joint Ventures; **and** registration for the type and cost of the contract to be bid; **and**
- (e) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; **or**
Original copy of Notarized Bid Securing Declaration; **and**
- (f) Project Requirements, which shall include the following:
- a. Organizational chart for the contract to be bid;
- b. List of contractor’s key personnel (*e.g.*, Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data;
- c. List of contractor’s major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be; **and**
- (g) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (h) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC).

Class “B” Documents

- (i) If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence; **or**

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (j) Original of duly signed and accomplished Financial Bid Form; **and**

Other documentary requirements under RA No. 9184

- (k) Original of duly signed Bid Prices in the Bill of Quantities; **and**
- (l) Duly accomplished Detailed Estimates Form, including a summary sheet indicating the unit prices of construction materials, labor rates, and equipment rentals used in coming up with the Bid; **and**
- (m) Cash Flow by Quarter.





Republic of the Philippines
COMMISSION ON AUDIT
Regional Office No. IX
Cabatangan Hills, Zamboanga City

Project: **CONSTRUCTION OF COA RO-IX TRAINING CENTER AND DORMITORY BUILDING**
Location: Barangay Turno, Dipolog City, Zamboanga del Norte

TECHNICAL SPECIFICATIONS

GENERAL PROVISIONS

These specifications have been prepared to cover the construction of the three(3) storey training center and dormitory building. The scope of work includes but not limited to the items set out in these specifications and indicated on the schedules of drawings set out therein.

In case of discrepancy between the plans and specifications, the specifications shall take the precedence. Large scale drawings shall supersede small scale drawings. Drawing with incomplete detail/s shall be referred to the Resident Engineer.

In the event that the material herein specified is not available, the Resident Engineer has the right to replace it with another material provided that it shall conform to the quality, strength, and standards of the original material.

All parts of the construction shall be finished with first class workmanship to the fullest talent and meaning of the plans and these specifications, and to the entire satisfaction of the Engineer and the Owner.

The construction shall conform to all requirements of the National Building Code of the Philippines as well as the local rules and regulations of the City of Dipolog, Province of Zamboanga del Norte, Philippines.

ITEM 1- GENERAL REQUIREMENTS

Soil and Geotechnical Foundation investigation shall be conducted for buildings two storey and higher. For building footprint below 50m², one (1) borehole; below, 2 footprints; 500m² and above, the minimum required no. of boreholes is $n = 2 + (A/1000)$ where A is the building footprint in m² (per NSCP 2015 Section 303.1).

This item shall also constitute the required structural, electrical and sanitary professional fees for building permit purposes and the required fees for the local electric cooperative primary metering and banking.

ITEM 2- MOBILIZATION/DEMobilIZATION

The Contractor shall mobilize and bring out into work, all personnel, plant and equipment, in accordance with his approved construction program, equipment moving and utilization schedule and manpower schedule, from its regular place of business to the site to undertake the contract.

Mobilization shall include the obtaining and transporting to jobsite of equipment, materials, tools, personnel, constructional plant and all necessary items for the execution and completion of

the work and shall also include the setting up and the verification of all equipment, instrument and all other plant until it is rendered operable.

Demobilization shall also include clean-up of the site after completion of the contract as approved by the Resident Engineer and transportation from the site of Contractor's personnel.

ITEM 3 – PROVISION OF FIELD OFFICE

The contractor shall provide and maintain field office including all the necessary electricity, water, drainage, telephone, internet services for the use of the COA Engineers and staff. The office shall be near the job site and at least 18 sq.m. in floor area.

ITEM 4 – PROVISION OF BASIC FURNITURES

The field office shall contain the equipment, supplies and furnishings. All office furniture and equipment shall be approved by the Resident Engineer. Upon the completion of the contract, the facilities provided by the contractor including office equipment, furniture and communication facilities shall revert to COA.

ITEM 5 – PROJECT BILLBOARD/SIGNAGE

The contractor shall provide billboard at the job site prior to the commencement of any project activity for public information in accordance with government standards.

Standard billboard measuring 8ft. x 8ft. (2400 mm x 2400 mm) using a 1/2 inch (12 mm) marine plywood or tarpaulin posted on 3/16 inch (5 mm) marine plywood shall be installed. The billboard shall be installed in front of the project site. The content of the billboard printing shall be in accordance to COA Circular 2013-004 dated January 30, 2013.

ITEM 6 – OCCUPATIONAL SAFETY & HEALTH

The Contractor shall be responsible for the Safety and Health of all operations in connection with the Contract and shall take all necessary actions to ensure the safety of all persons who may be on or adjacent to the Site.

The Contractor shall provide, maintain and enforce the usage of PPE for all the personnel on site at all times. The following PPE shall be compulsory on site such as but not limited to Safety helmets with chin strap, Safety footwear with steel toe cap and steel sole plate, High-visibility vest/clothing and Safety belts shall be provided for restraining falls or safety harness for fall protection.

All PPE's shall conform with government standards. Also, the emergency medical kit and medicines shall be available at the job site for the entire duration of the project.

ITEM 7 – STRUCTURE EXCAVATION

The entire site shall be cleared of vegetation to include the cutting of trees that may hinder the construction works. All unsuitable materials must be disposed of in a proper manner. Ground surface shall be graded and leveled to the desired grade. All works must be always done in strict coordination with the Resident Engineer.

The building lines shall be staked out and all lines and grades shown in the drawings established before any excavation is started. Batter boards and reference marks shall be erected at such places where they will not be disturbed during the excavation of the building.

Structure excavation includes the removal of all materials within the structural lines including the necessary dewatering operations in accordance with the elevations shown in the drawings. It shall include additional excavations within the vicinity of the structure in order to shape the ground as shown in the drawings or as directed by the Resident Engineer. All works must be approved by the Resident Engineer prior to accomplishing the succeeding work items.

ITEM 8 – EMBANKMENT FROM EXCAVATION

The materials taken from the structural excavations shall be backfilled and compacted to the footings and tie beams after the concrete works are completed except for the unsuitable materials which shall be disposed of.

ITEM 9 – EMBANKMENT FROM BORROW

Filling materials shall be placed and compacted in accordance with the lines, grades and dimensions shown in the plans or as established by the Resident Engineer. Finished floor line is to be constructed 1.0 meter above the natural grade.

Soil treatment and poisoning must be applied prior to concrete pouring. It shall consist in the furnishing and applying termite control chemicals, including the use of equipment and tools in performing such operations in accordance with this specification. Termite control chemicals shall be to immediately exterminate termites to discourage entry of subterranean termites into the building areas. Chemicals to be used shall be those approved and authorized by the Philippine Pesticide Authority.

ITEM 10 – GRAVEL FILL

The elevation of the different concrete structures shall be according to plans or as directed by the Resident Engineer. After the desired elevations of the structural excavations for the footings, tie beams, septic tank, sump tank and manholes have been attained, a gravel fill shall be put in place and compacted to a thickness of at least 0.10 meter for footings, wall footing, tie beam and slabs.

ITEM 11,12 – CONCRETE WORKS

This item shall consist in the furnishing, placing, curing and finishing concrete in structures in conformity with the lines, grades and dimensions shown on the plans. Concrete shall consist of a mixture of portland cement, fine aggregates, coarse aggregates, water and admixtures when specified or approved by the Resident Engineer.

All concrete shall develop a minimum compressive strength (fc) at the end of twenty eight (28) days with corresponding maximum size aggregates and slump as follows:

	28 days fc	Max. aggregate	Slump
Columns	4000psi (27.6MPa)	19mm	100mm
Beams & Susp. Slab	4000psi (27.6MPa)	19mm	100mm
Slab on grade	3000psi (21MPa)	19mm	100mm
Others not indicated	4000psi (27.6MPa)	19mm	100mm

- a. Fine aggregates needed in the composition of concrete mortar, grout or plaster shall consist of sand. Stone screening on other inert materials with similar characteristics or a combination thereof, having clean, hard strong, sound, durable, uncoated grains and free

from injurious amount of dust, lump, soft or flaky particles, slags, alkali organic matter, loam or other deleterious substances and shall not contain more than three percent (3%) clay lumps or one percent (1%) slags. For exposed works, fine aggregates shall be free from any substances which will discolor the concrete surface.

- b. Coarse aggregates shall consist of crushed gravel having clean, hard, strong, sound, durable, uncoated grains and free from injurious amount of soft, pliable elongated or laminated pieces, alkali organic or other deleterious matter. Crushed aggregates shall be graded not more than ¾" in diameter or as directed by the Resident Engineer.
- c. Water to be used in mixing concrete shall be free from oil, acid, alkali, vegetable matter, or other deleterious substances and shall be reasonably clean and clear.
- d. Concrete admixtures necessary to hasten the curing process maybe added upon direction and approval of the Resident Engineer.

Mixing of concrete shall be measured, batched and mixed in a batch mixer, or by hand done in a water tight wooden platform at the jobsite. Concrete must be mixed for a time sufficient to ensure the uniform distribution of particles throughout the mass and should be deposited as nearly as practicable in its final position, care being taken to avoid segregation of the aggregates.

A CONCRETE DESIGN MIX, CONCRETE TRIAL MIXES AND COMPRESSIVE TESTING shall be performed by the contractor prior to actual concreting works to determine whether the concrete as designed and actually mixed passed the compressive strength requirement of at least 4,000 psi after 28 days. The first sample shall be tested at seven (7) days, the second sample shall be tested at fourteen (14) days, and the third sample shall be tested at twenty-eight (28) days. This data shall be provided by the contractor to the Resident Engineer for his perusal and approval to be used in actual concrete pouring.

A written request for concrete pouring shall be submitted to the Resident Engineer at least two (2) days prior to pouring. No concrete pouring shall be conducted in the absence of the Resident Engineer.

To ensure the availability of the concrete design mix, concrete trial mixes and concrete testing, this item shall be performed even during the receipt of the notice to commence work and after the concreting materials shall have been delivered on site.

Concrete curing shall be started as soon as freed water has disappeared from the surface of the concrete. Curing shall continue for a period of not less than seven (7) days after placing the concrete in its final position.

ITEM 13,14 – REINFORCING STEEL BARS

This item shall consist of furnishing, bending, fabricating and placing of steel reinforcement of the type, size, shape and grade required in accordance with this specification and in conformity with the requirements shown in the plans or as directed by the Resident Engineer.

As to strength, all reinforcing steel bars to be used shall have a tensile strength (fy) of at least 60,000 psi (414 MPa) for all load bearing structures and 40,000 psi (280 MPa) for non-load bearing. A Mill Certificate as to the tensile strength of the bars shall be provided. As to mass, the weight of the reinforcing steel bars to be used also shall not vary to more than 6% of the mass/weight requirements per lineal meter for each sizes/diameter of reinforcing steel bars.

Bars	Fy
16mm dia bars and above	Grade 60 / 414 MPa
12mm dia bars and below	Grade 40 / 280 MPa

Before materials are ordered, all order list and bending diagrams shall be furnished by the contractor to the Resident Engineer for approval. Such approval of the order list and bending diagrams submitted shall in no way relieve the contractor of the responsibility for the correctness of

such lists and diagrams. Any expense incident to the revisions of materials furnished in accordance with such list and diagrams and found by the Resident Engineer to be not complying with the plans shall be borne by the contractor.

All steel reinforcement shall be accurately placed in the position shown on the plans, or required by the Resident Engineer. It shall be firmly held during the placing and setting of concrete. Bars shall be tied at all intersections and fastened on the inside.

Unless otherwise noted in the plans, camber all RSB Beams and Girders at least 6 mm. for every 4 meters of span, except cantilevers which shall be 16 mm. for every 3 meters span. If there are two or more layers of RSB, use 25 mm diameter separators spaced at 1.0 m. on center, and top bars splices shall be located at midspan and bottom bars splices at column support unless otherwise indicated on the plans.

ITEM 15,16,17,18,19,20 – STRUCTURAL STEEL WORKS & ACCESSORIES

This item shall consist of furnishing all materials, labor, tools and equipment, and performance of all operations relative to the fabrication, delivery to site, erection and painting of structural steel roof framing system.

All structural steel work shall be in accordance with the Specifications for ASTM A325 for all anchor bolts. All connections must be fully welded to develop at least 125 % of the full strength in tension of the members being connected. $F_y=248.20$ MPa (36,000 psi) is the minimum yield strength for all members unless specified elsewhere.

Welding, shearing, gas cutting, chipping and all other works involved in the fabrication of structural steel shall be done with accuracy and of highest quality of workmanship, within the tolerable allowance prescribed in the AISC specifications. Welding of structural members in shop and in field shall be done only by certified and experienced welder. Surfaces to be welded shall be free from loose side, rust, grease, paint and other foreign materials that will impair the soundness of the weld. Surfaces or joints prepared for welded or high strength bolted connections shall comply with the cleanliness requirements. Quality control shall be practiced by the fabricator to assure high quality in the work. In addition, materials and workmanship shall be subject to inspection by the Resident Engineer.

The structural steel shall be given one coat of metal primer (grey color), applied thoroughly and evenly to dry surfaces, which have been cleaned by brush or spray roller coating. Steel work prior to painting and after inspection and approval shall be cleaned of loose mill scale, loose rust weld slag or flux deposit, dirt and other foreign materials. Oil and grease shall be removed by solvent. Parts of steel work which are to be welded shall not be painted.

All steel works after complete erection shall be painted with the type and color specified herein, or as directed by the Resident Engineer.

ITEM 21 – FORMWORKS AND SCAFFOLDINGS

This item shall consist in furnishing and installation of plywood/lumber forms and GI pipe frame & scaffoldings necessary for the final erection of the structural components and completion of the building project. Sufficient/proper forms and scaffoldings shall be installed in order to prevent deflection or sagging of the concrete structures. Plywood forms in contact with concrete shall be applied with coal tar or used oil and properly secured and joined to prevent seepage of water from the concrete mixture.

All materials and works shall be subject to checking and approval of the Resident Engineer prior to concrete pouring.

ITEM 22 – MASONRY WORKS

This item shall consist of furnishing and placing of Concrete Hollow Block (CHB) wall in accordance with this specification and conforming to the lines, grades and dimensions shown on the approved plans.

Material Requirements:

- a. All concrete works must be in accordance with all components of the structure and reinforced with deformed steel bars following strictly the drawings/plans with regards to size and spacing. Concrete mortar shall be Class “A” mixture. Finishing works shall be clean and smooth.
- b. Use 6” CHB for exterior walls below the Finished Floor Lines (FFL) and 4” CHB for wall above the FFL.
- c. Use only Portland Cement.
- d. Aggregates must be washed, well screened, clean, and free from loam, silt and other impurities and must conform with specification.
- e. The load bearing of hollow blocks shall have a minimum comprehensive strength of 6.89 MPa (1,000 psi) computed from the average of five (5) units based on the average gross area, and a minimum of 5.45 MPa (800 psi) for the individual unit respectively, all based on the gross area.
- f. All cement plaster shall be 16 mm. thick minimum on vertical concrete and masonry works including those located below the finished ground line. It shall be true to details and properly plumbed.
- g. CHB Reinforcements for 100 mm thk. Is 10 mm dia. space @ 400 mm both ways and for 150 mm thk., 12 mm dia. space @ 600 mm both ways.
- h. The Resident Engineer must approve all materials and works to be done.

ITEM 23 – LIGHT STEEL FRAMING

This item shall consist of furnishing all materials, labor, tools and equipment, and performance of all operations relative to the installation of metal furring, carrying channel, wall angle, steel angle, W-clips, suspension clips and hangers for the support and framing of ceiling. Such framing shall be supported by vertical hangers at least 0.60m in distance center to center both ways and additional steel angle bar which shall serve as carrying channel. 12mm dia. RSB at least 1.0 meter in length spaced at 1.80 meter on center both-ways should be in-place below the 2F and 3F suspended slabs which shall act as vertical support hangers.

All materials and works shall be subject to inspection and approval by the Resident Engineer.

ITEM 24 – ROOFING WORKS AND ACCESSORIES

This item includes the furnishing and installation of pre-painted longspan rib-type roofing sheets and all accessories. All roofing to be furnished and installed shall be 0.40mm thk x1060mm longspan colored roofing-Durarib (Rib22 Columbian Coffee) or following the designated color as per the requirements of the Resident Engineer with 10mm thick single foil roofing insulation with diagonal tie wires spaced at 0.20 m on centers, both ways.

All metal accessories shall be of similar material and specifications to the roofing sheets.

All materials and works shall be subject to inspection and approval by the Resident Engineer.

ITEM 25 – TILE WORKS

This item shall consist of furnishing of all tile materials, labor, and equipment required in undertaking the proper installation of tile works indicated on the plan and in accordance with this specification.

All tiles shall be properly installed to produce a smooth and even surface in accordance with the lines and grades shown in the plans or drawings, or directed by the Resident Engineer. Chipping of the concrete floor and wall surfaces shall be made, chip off concrete shall be removed, and water spreading shall also be done prior to the spreading of concrete mortar and installation of tiles. Uneven tile works shall be removed by the contractor to conform with the plans or drawings, at no cost to the owner.

ITEM 26 – CARPENTRY WORKS

This item consists of fiber cement ceiling for all interior ceiling and pre-painted metal spandrel for all exterior ceiling such as at the building entrance, emergency exit and canopy in accordance with plans or drawings. The ceiling shall be secured firmly and supported properly with enough hangers and additional steel angle as carrying channel. All works shall be subject to inspection and approval by the Resident Engineer.

All toilet partitions shall be 12mm thk Phenolic board with complete accessories and all cabinets and closets shall be fabricated using laminated board with thicknesses as indicated in the plan.

The work under this item shall also consist of furnishing all required materials, tools, equipment and labor necessary for the satisfactory completion of all carpentry and joinery works such as laminated board closets, cabinets and antibacterial phenolic board CR partitions with doors, in strict accord with applicable drawings, details and these Specifications.

ITEM 27 – PAINTING WORKS

This item shall consist of furnishing of all paint materials, varnish and other related products, labor, equipment required in undertaking the proper application of the paint, varnish, or related works indicated in the plan and in accordance with this specification.

All paints shall be evenly applied in coats of proper consistency and well brushed-out so as to show a minimum of brush marks. All coats shall be thoroughly dried before the succeeding coat is applied. Where surfaces are not properly covered or cannot be satisfactorily finished in the number of coats specified, such preparatory coats and subsequent coats as maybe required, shall be applied to attain the evenness of the surface without extra cost to the owner. Where the surface is not in proper condition to receive the coat, the Resident Engineer shall be notified immediately. Work of the questioned portions shall not start until a clearance to proceed is given by him.

Hardware, lighting fixtures and other similar items shall be removed or protected during the painting, varnishing and related work operations and re-installed after completion of the work.

This item shall also include the waterproofing of all toilet and bath, roof deck, canopy and gutter applied with water proofing membrane to prevent water seepage subject to approval by the Resident Engineer.

ITEM 28,29 – DOORS & WINDOWS

This item shall consist of furnishing of all doors and windows including labor and equipment required as shown in the drawings or plans, or in accordance with this specification.

The specification requirements for each door, windows and other fabricated materials specifically on the sizes, thickness, dimensions, materials component and the manner of installation as to joint details shall be those indicated in the plans or drawings/Bill of Quantities.

All doors to be supplied and installed shall be provided with all necessary accessories such as door knobs, handles, hinges and painted in the case of panel and flush type doors.

ITEM 30,31,32,33,34,35 – PLUMBING AND SANITARY WORKS

This item shall consist of furnishing of all plumbing pipes, fixtures and other related products, labor and equipment required as shown in the drawings or plans for the satisfactory performance of the entire plumbing system in accordance with the latest edition of the Revised National Plumbing Code of the Philippines and this specification.

The specification requirements for each pipe and fixtures specifically on the sizes, thickness, dimensions, materials component and the manner of installation as to joint details shall be those indicated in the plans or drawings for cold water lines, sanitary pipes, vent pipes, downspout, stainless water tank, water pump and phenolic partitions or as approved by the Resident Engineer.

All 4” diameter UPVC Pipe used as downspout shall be positioned outside the concrete columns but enclosed with concrete moulding in accordance with the instruction of the Resident Engineer.

All works shall be installed under the direct supervision of a duly registered and experienced Master Plumber.

The water supply pipes from the local water district shall be connected and impounded to the cistern tanks, as shown in the plans.

The overhead water tank shall be stainless steel hydro-pneumatic tank with complete plumbing/fitting accessories, float valve/level control, as approved by the Resident Engineer.

The cistern tank shall be PE storage tank, horizontal with complete plumbing/fitting accessories, float valve/level control, as approved by the Resident Engineer.

The water pump to be installed shall be Jet Booster Pump 1.5Hp, Double Impellers, Made in Italy with complete valves, pipes, and accessories.

ITEM 36 – FIRE SUPPRESSION SYSTEM

This item shall consist of furnishing of all materials, pipes, fixtures and other related products, labor and equipment required as shown in the drawings or plans for the satisfactory performance of the entire fire suppression system in accordance with the latest National Building Code and this specification.

The specification requirements for fire sprinklers, standpipes and other fixtures as to the sizes, thickness, dimensions, materials component and the manner of installation shall be those indicated in the plans or drawings.

All materials and works shall be approved by the Resident Engineer prior to installation.

ITEM 37,38,39,40 – ELECTRICAL WORKS

This item shall consist of furnishing of all electrical transformers, electrical pipes, conduits, wires, fixtures, panels, breakers, lightning protection and other related products, labor and equipment required as shown in the drawings or plans for the satisfactory performance of the entire mechanical and electrical system in accordance with the latest Electrical Code of the Philippines and this specification.

The specification requirements for all electrical pipes, wires, fixtures specifically on the sizes, thickness, dimensions, materials component and the manner of installation shall be those indicated in the plans or drawings.

All pipes, wires, fixtures and other related products, labor and equipment required as shown in the drawings or plans for the satisfactory performance of the entire electrical system in accordance with the latest Electrical Code of Philippines and this specification.

All works shall be installed under the direct supervision of a duly certified and experienced Professional Electrical Engineer.

ITEM 41 – FIRE DETECTION & ALARM SYSTEM

This item shall consist of furnishing of all materials, pipes & conduits, fixtures and other related products, labor and equipment required as shown in the drawings or plans for the satisfactory performance of the entire fire detection and alarm system in accordance with the latest National Building Code and this specification.

The specification requirements for fire alarms and system as to the sizes, thickness, dimensions, materials component and the manner of installation shall be those indicated in the plans or drawings.

All works shall be installed under the direct supervision of a duly certified and experienced Professional Electrical Engineer.

ITEM 42 – AIRCONDITIONING UNITS

This item shall consist of furnishing of all materials, pipes & conduits, fixtures and other related products, labor and equipment required as shown in the drawings or plans for the satisfactory installation and performance of the airconditioning units in accordance with the latest National Building Code and this specification.

The specification requirements for each airconditioning unit as to the cooling capacity, motor power, sizes and other specifications and the manner of installation shall be those indicated in the plans or drawings.

All works shall be installed under the direct supervision of a duly certified and experienced Professional Mechanical Engineer.

ITEM 43 – GENERATOR SET

This item shall consist of furnishing and installation of brand-new, 250KVA, 3-Phase generator set with Automatic Transfer Switch. It includes additional attachment/services : (1) Shipped Loosed Rubber Type Vibration Isolators, (2) Flexible Exhaust Fitting and Elbow, (3) Shipped Loosed Muffler, (4) Batteries and Battery Charger, (5) Circuit Breaker, and (6) Skid base Fuel Tank; and sound attenuated enclosure (SAE), locally fabricated ROCKWOOL type.

Includes also includes tapping & installation, load-balancing, insulation test, grounding test, dummy load test and trainings with certificate from supplier

All pipes, wires, fixtures and other related products, labor and equipment required as shown in the drawings or plans for the satisfactory performance of the entire electrical system in accordance with the latest Electrical Code of Philippines and this specification.

All works shall be installed under the direct supervision of a duly certified and experienced Professional Electrical Engineer.

ITEM 44 – FABRICATION & INSTALLATION OF OFFICE & DORMITORY FACILITIES

This item shall consist of fabrication/furnishing & installation of all materials, related products, labor and equipment required as shown in the Bill of Quantities for the satisfactory operation of the building in accordance with the latest National Building Code and this specification. All office and dormitory facilities and other hardware shall be approved by the Resident Engineer.

ITEM 45 – POWERHOUSE

This item shall consist of furnishing of all materials, related products, labor and equipment required as shown in the approved additional drawings plans for the satisfactory construction of the Powerhouse in accordance with the latest National Building Code, Philippine Electrical Code and this specification.

All electrical works of the powerhouse shall be installed under the direct supervision of a duly certified and experienced Professional Electrical Engineer.

ITEM 46 – MISCELLANEOUS ITEMS

This item shall consist of furnishing & installation of COA seal and signage including labor and equipment required as shown in the drawings or plans. COA seal shall be 1.0 meter in diameter and all lettering shall be 0.30 meter in height. Material shall be bronze and all in mirror finish.

Project Name: **CONSTRUCTION OF COA RO-IX TRAINING CENTER & DORMITORY BUILDING**

Location: Brgy. Turno, Dipolog City, Zamboanga del Norte

BID SUMMARY

Item No.	Description	Quantity	Unit	Bid Amount
1.0	GENERAL REQUIREMENTS	1.00	lot	
2.0	MOBILIZATION / DEMOBILIZATION	1.00	lot	
3.0	PROVISION OF FIELD OFFICE	1.00	lot	
4.0	PROVISION OF BASIC FURNITURES	1.00	lot	
5.0	PROJECT BILLBOARD	1.00	unit	
6.0	OCCUPATIONAL SAFETY & HEALTH	1.00	lot	
7.0	STRUCTURE EXCAVATION	975.38	cu.m.	
8.0	EMBANKMENT FROM EXCAVATION	723.02	cu.m.	
9.0	EMBANKMENT FROM BORROW	540.00	cu.m.	
10.0	GRAVEL FILL & BOULDERS	125.00	cu.m.	
11.0	STRUCTURAL CONCRETE (3,000 psi)	48.25	cu.m.	
12.0	STRUCTURAL CONCRETE (4,000 psi)	765.48	cu.m.	
13.0	REINFORCING STEEL BARS (Grade 40)	55,028.32	kgs	
14.0	REINFORCING STEEL BARS (Grade 60)	96,637.60	kgs	
15.0	STRUCTURAL STEEL- TRUSSES	4,376.47	kgs	
16.0	STRUCTURAL STEEL- PURLINS	4,409.10	kgs	
17.0	METAL ACCESSORIES- STEEL PLATES	203.48	kgs	
18.0	METAL ACCESSORIES- SAG RODS	74.76	kgs	
19.0	METAL ACCESSORIES- CROSS BRACING	64.08	kgs	
20.0	METAL ACCESSORIES- TURN BUCKLE	16.00	unit	
21.0	FORMWORKS & FALSEWORKS	1,500.00	sq.m.	
22.0	MASONRY WORKS	1,976.24	sq.m	
23.0	LIGHT STEEL FRAMING	1,419.25	sq.m	
24.0	ROOFING WORKS	373.13	sq.m	
25.0	TILE WORKS	1,928.43	sq.m	
26.0	CARPENTRY WORKS	1,761.33	sq.m	
27.0	PAINTING WORKS	5,943.70	sq.m	
28.0	WINDOWS	69.00	set	
29.0	DOORS	68.00	set	
30.0	SEWER LINE	1.00	lot	
31.0	COLD WATER LINE	1.00	lot	
32.0	STORM DRAINAGE & DOWNSPOUTS	1.00	lot	
33.0	PLUMBING FIXTURES	1.00	lot	
34.0	SEPTIC VAULT	1.00	lot	
35.0	CATCH BASIN	1.00	lot	
36.0	FIRE SUPPRESSION SYSTEM	1.00	lot	
37.0	ELECTRICAL - MAIN LINE	1.00	lot	
38.0	ELECTRICAL - LIGHTING	1.00	lot	
39.0	ELECTRICAL - POWER	1.00	lot	
40.0	ELECTRICAL - ACU	1.00	lot	
41.0	FIRE DETECTION & ALARM SYSTEM	1.00	lot	
42.0	AIRCONDITIONING UNITS	28.00	units	
43.0	GENERATOR SET, 3P, 250KVA w/ ATS	1.00	unit	
44.0	FABRICATION & INSTALLATION OF OFFICE & DORMITORY FACILITIES	1.00	lot	
45.0	POWERHOUSE (5mX7m)	1.00	lot	
46.0	MISCELLANEOUS ITEMS	1.00	lot	
		TOTAL AMT OF BID		

Prepared by:

Name of Contractor:

Date:

Project Name : CONSTRUCTION OF COA RO-IX TRAINING CENTER AND DORMITORY BUILDING
 Location : Brgy. Turno, Dipolog City, Zamboanga del Norte

BILL OF QUANTITIES (BOQ)

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
1.0	GENERAL REQUIREMENTS	1.00	lot							
	1. Complete Soil Exploration with Geotechnical Report	2.00	hole							
	2. Prof Electrical Engineer Fee	1.00	LS							
	3. Structural Engineer Fee	1.00	LS							
	4. Sanitary/Master Plumber Fee	1.00	LS							
	5. Electric Coop Primary Metering	1.00	LS							
	6. Electric Coop Banking	1.00	LS							
										Subtotal
										Unit Cost
2.0	MOBILIZATION/DEMobilIZATION	1.00	lot							
	Mobilization/Demobilization Cost	1.00	lot							
										Subtotal
										Unit Cost
3.0	PROVISION OF FIELD OFFICE FOR THE ENGINEERS	1.00	lot							
	Bunkhouse, 20-footer Container Van (Field Office for COA Personnel) w/ electricity, water supply & sanitary facilities. SPACES: Office, Bedroom, Kitchen & C.R w/ complete fixtures w/ standard concrete base/flooring.	18.00	sq.m.							
	1-Hp window Airconditioner, Inverter Type	1.00	unit							
										Subtotal
										Unit Cost
4.0	PROVISION OF BASIC FURNITURES	1.00	lot							
	1. Laptop (14", core i7, 512GB SSD, 16GB Ram, Dedicated Graphics Memory)	1.00	unit							
	2. Printer w/ continuous ink system	1.00	unit							
	3. Compact action camera 23MP GP2 Chip 5.3K60/4K120/2.7K240 Video	1.00	unit							
	4. Office tables (Plastic Mono block)	2.00	unit							
	5. Single folding steel bed (with 4" Foam, pillow, blanket, bed sheet and pillow case)	2.00	unit							
	6. Stand Fan(16")	2.00	unit							
	7. Dining table, (4-seater)	1.00	unit							
	8. Dining chairs(Plastic Mono block w/ backrest)	8.00	unit							
	9. Two burner gas stove w/ LPG Tank	1.00	unit							
	10. Plastic pail(Medium size)	3.00	unit							
	11. Aluminum cookware	1.00	set							
	12. Starter set(Chinaware)	1.00	set							
	13. Spoons(stainless)	1.00	set							
	14. Forks(stainless)	1.00	set							
	15. Drinking Glasses	1.00	set							
	16. Plastic tray	2.00	unit							
										Subtotal
										Unit Cost
5.0	PROJECT BILLBOARD	1.00	lot							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	8' x 8' Tarpaulin	1.00	set							
	Good Lumber (Frames)		bd.ft.							
	Assorted Common Working Nails		kgs							
										Subtotal
										Unit Cost
6.0	OCCUPATIONAL SAFETY & HEALTH	1.00	lot							
	First Aid Kit	3.00	unit							
	Safety Helmet	12.00	unit							
	Safety Shoes	12.00	unit							
	Safety Gloves	12.00	unit							
	PPE Signage (4' x 8')	2.00	unit							
	Safety First (4' x 4')	2.00	unit							
	Warning Signs (2' x 3')	3.00	unit							
	Caution Tape, 100ft	2.00	rolls							
										Subtotal
										Unit Cost
7.0	STRUCTURE EXCAVATION	975.38	cu.m.							
	Excavation works	975.38	cu.m.							
										Subtotal
										Unit Cost
8.0	EMBANKMENT FROM EXCAVATION	723.02	cu.m.	(compacted)						
	Backfilling works	723.02	cu.m.							
										Subtotal
										Unit Cost
9.0	EMBANKMENT FROM BORROW	540.00	cu.m.	(loose vol.)						
	(FFL is 1.0m from NGL)									
	Common borrow	540.00	cu.m.							
	Soil Poisoning & Treatment	450.00	sq.m.							
										Subtotal
										Unit Cost
10.0	GRAVEL FILL	125.00	cu.m.	(loose vol.)						
	(FFL is 1.0m from NGL)									
	Gravel Bedding, for slab on grade	50.00	cu.m.							
	Boulders, for foundation, plus 50%	50.00	cu.m.							
	Gravel Bedding, for foundation	25.00	cu.m.							
										Subtotal
										Unit Cost
11.0	STRUCTURAL CONCRETE, 3000 PSI	48.25	cu.m.							
	Ready-mix Concrete, 3000psi @ 28 days (for floor slab-on-grade)	48.25	cu.m.							
										Subtotal
										Unit Cost
12.0	STRUCTURAL CONCRETE, 4000 PSI	765.48	cu.m.							
	Ready-mix Concrete, 4000psi @ 28 days	765.48	cu.m.							
										Subtotal

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
									Unit Cost	
13.0	REINFORCING STEEL, GR. 40	55,028.32	kgs							
	Assorted RSB @ GR. 40 (12mm & 10mm dia. Bars)	55,028.32	kgs							
	# 16 GI Tie Wire	825.42	kgs							
									Subtotal	
									Unit Cost	
14.0	REINFORCING STEEL, GR. 60	96,637.60	kgs							
	Assorted RSB @ GR. 60	96,637.60	kgs							
	#16 GI Tie Wire	1,449.56	kgs							
									Subtotal	
									Unit Cost	
15.0	STRUCTURAL STEEL, TRUSSES	4,376.47	kgs							
	Structural Steel Truss	3,947.11	kgs							
	I-Beam (W8x6)	429.36	kgs							
	Acetylene		kgs							
	Oxygen		kgs							
	Welding Rod		kgs							
									Subtotal	
									Unit Cost	
16.0	STRUCTURAL STEEL, PURLINS	4,409.10	kgs							
	Structural Steel Purlins	4,409.10	kgs							
	Welding Rod		kgs							
									Subtotal	
									Unit Cost	
17.0	METAL ACCESSORIES, STEEL PLATES	203.48	kgs							
	Steel Plates	203.48	kgs							
									Subtotal	
									Unit Cost	
18.0	METAL ACCESSORIES, SAG RODS	74.76	kgs							
	Sag Rods, 12mm dia. with nuts and bolts	74.76	kgs							
									Subtotal	
									Unit Cost	
19.0	METAL ACCESSORIES, CROSS BRACING	64.08	kgs							
	Cross Bracing, 19mm dia.	64.08	kgs							
									Subtotal	
									Unit Cost	
20.0	METAL ACCESSORIES, TURNBUCKLE	16.00	unit							
	Standard Turnbuckle, 19mm dia.	16.00	unit							
									Subtotal	

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
									Unit Cost	
21.0	FORMWORKS & FALSEWORKS	1,500.00	sq.m.							
	a. Plywood Marine (19mm thk x 1.2m x 2.4m) - 3 uses		shts							
	c. Good Lumber - 3 uses		bd.ft.							
									Subtotal	
									Unit Cost	
22.0	MASONRY WORKS	1,976.24	sq.m.							
	6" CHB, Load Bearing	1,120.00	pcs							
	4" CHB, Load Bearing	23,590.00	pcs							
	Portland Cerment	2,385.00	bags							
	Sand	95.00	cu.m							
	Fine Sand	135.00	cu.m							
	10mm diameter x 6m	1,695.00	pcs							
	#16 GI Tie Wire	97.00	kgs							
									Subtotal	
									Unit Cost	
23.0	LIGHT STEEL FRAMING	1,419.25	sq.m.							
	0.5mmthk x19mmx50mmx5m Single Furring Channel	485.00	pcs.							
	0.8mmthk x12mmx38mmx5m Carrying Channel	270.00	pcs.							
	0.5mmthk x25mmx25mmx2.4m Wall Angle	315.00	pcs.							
	W-Clip	2,270.00	pcs.							
	Suspension Clip and Joiner	1,165.00	pcs.							
	Steel Angle	1,165.00	pcs.							
	#8 GI Suspension Hangers	1,165.00	m.							
	1/8" x 3/8" Blind Rivets	4,770.00	pcs.							
	1/8" x 1/2" Blind Rivets	4,770.00	pcs.							
	1" Concrete Nails	15.00	kgs.							
									Subtotal	
									Unit Cost	
24.0	ROOFING WORKS	373.13	sq.m.							
	0.40mm Long Span Pre-painted Rib Type	391.78	sq.m							
	0.40mm Pre-painted Fascia Cover	5.00	pcs							
	0.40mm Pre-painted Gutter	5.00	pcs							
	0.40mm Pre-painted False Type Gutter	5.00	pcs							
	0.40mm Pre-painted End-wall Flashing	28.00	pcs							
	0.40mm Pre-painted Ridge Roll	11.00	pcs							
	0.40mm Pre-painted Metal Spandrel	148.00	sq.m.							
	GI Strap	36.00	pcs							
	Blind Rivets	2,162.40	pcs							
	Teckscrew	353.00	pcs							
	10mm thk Foam Insulator double sided	323.20	sq.m							
									Subtotal	
									Unit Cost	
25.0	TILE WORKS	1,928.43	sq.m.							
	19mm thk x 0.60m x 2.40 Granite Slab (For kitchen, pantry and lavatory counters)	10.00	pcs							
	12mm x 600mm x 600mm Granite Tiles	2,511.00	pcs							
	12mm x 600mm x 600mm Unglazed Ceramic Tiles	1,756.00	pcs							
	6mm x 300mm x 600mm Glazed Ceramic Tiles	1,844.00	pcs							
	6mm x 300mm x 300mm Unglazed Ceramic Tiles	511.00	pcs							
	6mm PVC Tile Trim	20.00	pcs							
	Portland Cement	625.00	bags							
	Fine Sand	115.00	cu.m							
	ABC Tile Grout (2 kgs.)	200.00	packs							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	ABC Tile Adhesive (25 kgs.)	48.00	bags							
									Subtotal	
									Unit Cost	
26.0	CARPENTRY WORKS	1,761.33	sq.m							
	5.5mm Fiber Cement Board	518.00	pcs							
	12mm thk Phenolic Toilet Partition with complete accessories	21.45	sq.m							
	1/2" Marine Plywood	2.00	pcs							
	12mm Laminated Board	155.53	sq.m							
	19mm Laminated Board	61.20	sq.m							
	25mm Laminated Board	25.55	sq.m							
	18mmx35mmx1.5m Aluminum C Type Continuous Handle	76.00	pcs							
	25mm dia Stainless Rod Sch. 40	4.00	pcs							
	Mirror (Closet)	19.09	sq.m							
	1" Metal/Gypsum Screw	2,600.00	pcs							
	1-1/2" Metal/Gypsum Screw	2,800.00	pcs							
									Subtotal	
									Unit Cost	
27.0	PAINTING WORKS	5,943.70	sq.m							
	Concrete Neutralizer	75.00	gal							
	Patching Compound	185.00	kgs							
	Liquid Tile Primer	205.00	gal							
	Liquid Tile Semi-gloss	415.00	gal							
	Liquid Tile Reducer	105.00	gal							
	Liquid Tile Tinting Color	50.00	gal							
	Easy Tite	30.00	gal							
	Polyurethane Topcoat	4.00	gal							
	Polyurethane Reducer	1.00	gal							
	Lacquer Sanding Sealer	3.00	gal							
	Lacquer Flo	1.00	gal							
	Lacquer Thinner	1.00	gal							
	Oil Wood Stain	2.00	gal							
	Red Oxide Primer	10.00	gal							
	Roller w/ Tray	25.00	pc							
	2" Paint Brush	50.00	pcs							
	Old Newspaper	10.00	lot							
	Masking Tape	100.00	rolls							
	Watertite 100 Instant Plug (4.54 kg/can)	10.00	can							
	Watertite 101 Capillary Water-Proofing Membrane (4.54 kg/can)	70.00	can							
									Subtotal	
									Unit Cost	
28.0	WINDOWS	69.00	sets							
	W1 -6mm thk Tempered Glass Fixed Window w/ Awning on Analok Aluminum Frame	2.00	sets							
	W2 - 6mm thk bronze Glass Fixed Window w/ Awning on Analok Aluminum Frame	1.00	set							
	W3 - 6mm thk Bronze Glass Fixed Window w/ Awning on Analok Aluminum Frame	1.00	set							
	W4 - 6mm thk Bronze Glass Fixed Window on Analok Aluminum Frame	1.00	set							
	W5 - - 6mm thk Bronze Glass Fixed Window on Analok Aluminum Frame	2.00	sets							
	W6 - 6mm thk Bronze Glass Fixed Window w/ Sliding on Analok Aluminum Frame	6.00	sets							
	W7 - 6mm thk Bronze Glass Fixed Window w/ Sliding on Analok Aluminum Frame	4.00	sets							
	W8 - 6mm Bronze glass Fixed Window w/ Sliding and Swing Glass Door on Analok Aluminum Frame	2.00	sets							
	W9 - 6mm thk Bronze glass Fixed Window w/ Awning and Sliding Glass Door on Analok Aluminum Frame	8.00	sets							
	W10 - 6mm thk Bronze Glass Fixed Window w/ Awning on Analok Aluminum Frame	3.00	sets							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	W11 - 6mm thk Bronze Glass Fixed Window on Analok Aluminum Frame	2.00	sets							
	W12 - 6mm thk Bronze Glass Fixed Window on Analok Aluminum Frame	1.00	set							
	W13 - 6mm thk Bronze Glass Fixed Window w/ Sliding on Analok Aluminum Frame	1.00	set							
	W14 - 6mm thk Bronze Glass Fixed Window w/ Sliding on Analok Aluminum Frame	6.00	sets							
	W15 - 6mm thk Bronze Glass Fixed Window w/ Sliding on Analok Aluminum Frame	1.00	sets							
	W16 - 6mm thk Bronze Glass Fixed Window w/ Awning on Analok Aluminum Frame	2.00	sets							
	W17 - 6mm thk Bronze Glass Fixed Window w/ Awning on Analok Aluminum Frame	2.00	sets							
	W18 - 6mm thk Bronze Glass Fixed Window w/ Awning on Analok Aluminum Frame	1.00	set							
	W19 - 6mm thk Bronze Glass Fixed Window w/ Awning on Analok Aluminum Frame	1.00	set							
	W20 - 6mm thk Bronze Glass Fixed Window w/ Awning on Analok Aluminum Frame	10.00	sets							
	W21 - 6mm thk Bronze Glass Fixed Window w/ Awning on Analok Aluminum Frame	10.00	sets							
	W22 - 6mm thk Bronze Glass Fixed Window w/ Awning on Analok Aluminum Frame	2.00	sets							
										Subtotal
										Unit Cost
29.0	DOORS	68.00	sets							
	D1 - Double Swing Glass Door w/ Fixed Glass Transom	1.00	sets							
	D2 - Double Swing Glass Door w/ Fixed Glass Transom	1.00	set							
	D3 - Double Swing Glass Door w/ Fixed Glass Transom	1.00	set							
	D4 - Double Swing Glass Door w/ Fixed Glass Transom	1.00	set							
	D5 - Double Swing Glass Door w/ Fixed Glass Transom	1.00	sets							
	D6 - Double Swing Glass Door w/ Fixed Glass Transom	1.00	sets							
	D7a - Swing Glass Door w/ Fixed Glass Transom	1.00	sets							
	D7b - Swing Glass Door w/ Fixed Glass Transom	5.00	sets							
	D8 - Panel Swing Door	12.00	sets							
	D9 - Fire-Resistive Swing Door	4.00	sets							
	D10a - PVC Flush Swing Door w/ Louver	2.00	sets							
	D10b - PVC Flush Swing Door w/ Louver	8.00	set							
	D11 - PVC Flush Swing Door w/ Louver	5.00	set							
	D12 - Sliding Glass Door	10.00	sets							
	D13 - Solid Wood Flush Swing Door	4.00	sets							
	D14 - 12mm thk Formica Laminated Door	10.00	sets							
	D15 - Roll-up Door	1.00	set							
										Subtotal
										Unit Cost
30.0	SEWER LINE	1.00	lot							
	PVC Pipe, 100mm dia.x3m, S-1000	12.00	pc.							
	PVC Vent Pipe, 50mm dia.x3m	35.00	pc.							
	uPVC Sanitary Pipe, 100mm dia.x3m, S-1000	44.00	pc.							
	uPVC Sanitary Pipe, 75mm dia.x3m, S-1000	9.00	pc.							
	Elbow, 100mm dia. - 90 degree bend	26.00	pc.							
	Elbow, 50mm dia. - 90 degree bend	28.00	pc.							
	Elbow, 100mm dia. - 45 degree bend	15.00	pc.							
	Elbow, 50mm dia. - 45 degree bend	25.00	pc.							
	Wye, 100mm dia.	48.00	pc.							
	Wye, 50mm dia.	26.00	pc.							
	Wye Reducer, 100mm dia. - 50mm dia.	16.00	pc.							
	PVC Tee, 100mm dia.-50mm dia.	8.00	pc.							
	PVC Tee, 50mm dia.-50mm dia.	26.00	pc.							
	Clean-Out with cover, 100mm dia.	35.00	pc.							
	Clean-Out with cover, 50mm dia.	11.00	pc.							
	PVC P-Trap, 100mm dia.	23.00	pc.							
	PVC P-Trap, 50mm dia.	25.00	pc.							
	Solvent Cement	10.00	can							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
										Subtotal
										Unit Cost
31.0	COLD WATER LINES	1.00	lot							
	PPRC Pipe, 32mm dia.x4m, PN 16	72.00	pc.							
	PPRC Pipe, 25mm dia.x4m, PN 16	26.00	pc.							
	PP-R Coupling Reducer 32x25mm dia.	12.00	pc.							
	PP-R Coupling Reducer 32x20mm dia.	12.00	pc.							
	PP-R Elbow 25mm dia. - 90 degree	16.00	pc.							
	PP-R Elbow 32mm dia. - 90 degree	20.00	pc.							
	PP-R Tee, 32mm dia.	14.00	pc.							
	PP-R Tee, 20mm dia.	7.00	pc.							
	PP-R Tee Reducer, 32x20mm dia.	8.00	pc.							
	PP-R Tee Reducer, 25x20mm dia.	6.00	pc.							
	Water Meter	1.00	unit							
	Overhead Tank, 2000L, Stainless with complete accessories	3.00	unit							
	Jet Booster Pump 1.5Hp, SAER, Double Impellers, Made in Italy	2.00	unit							
	Cistern Tank, 2000Gallon, Bestank PE Storage Tank, Horizontal	2.00	unit							
										Subtotal
										Unit Cost
32.0	STORM DRAINAGE & DOWNSPOUT	1.00	lot							
	PVC Drain Pipe, 150mm dia.x3m	43.00	pc.							
	PVC Drain Pipe, 75mm dia.x3m	8.00	pc.							
	Elbow, 100mm dia. - 45 degree bend	22.00	pc.							
	Coupling, 100mm dia.	10.00	pc.							
	PVC Wye, 100mm	8.00	pc.							
	PVC Wye, 75mm	6.00	pc.							
	Elbow, 75mm dia. - 45 degree bend	6.00	pc.							
	Elbow, 100mm dia. - 90 degree bend	10.00	pc.							
	Elbow, 50mm dia. - 90 degree bend	8.00	pc.							
	PVC Solvent, 400cc	6.00	can							
										Subtotal
										Unit Cost
33.0	PLUMBING FIXTURES	1.00	lot							
	Water Closet, Elongated, complete with fittings and accessories (Premium Quality)	21.00	sets							
	Urinal, Wall-hung, Premium quality	6.00	sets							
	Kitchen Sink, Stainless with faucet and complete accessories)	3.00	sets							
	Shower Head Assembly, with knob and faucet attached	10.00	sets							
	Lavatory (Counter), complete with Goose Neck Faucet, fittings and accessories	17.00	sets							
	Bidet Assembly with complete accessories	21.00	sets							
	Gate Valve, 32mm dia.	11.00	pc.							
	Gate Valve, 50mm dia.	10.00	pc.							
	Check Valve, 50mm dia.	6.00	pc.							
	Floor Drain, 4"x4"	35.00	pc.							
	Soap Holder, Ceramic	10.00	pc.							
	Towel Holder, Stainless	10.00	pc.							
	Tissue Holder, Stainless	21.00	pc.							
	Mirror, 1.00mx0.80m with aluminum frame	14.00	unit							
	Handrail, Stainless 50mm dia	10.00	sets							
	Faucet, Hose Bibb, Brass 12mm dia.	11.00	pc.							
										Subtotal
										Unit Cost
34.0	SEPTIC VAULT	1.00	lot							
	For 3 (three) Units									
	CHB, 6" thick	1,445.00	pc							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	Portland Cement	243.00	bags							
	Sand	19.20	cu.m.							
	Gravel	8.00	cu.m.							
	RSB, 12mm dia.x6m	1,380.00	kgs							
	RSB, 10mm dia.x6m	135.00	kgs							
	PVC Pipe, 150mm dia.x3m, S-1000	10.00	pc.							
	Good Lumber	345.00	bdf							
	Marine plywood, 1/4" thick	10.00	pc							
	CWN Assorted	10.00	kgs							
	#16 GI Tire Wire	10.00	kgs							
										Subtotal
										Unit Cost
35.0	CATCH BASIN	1.00	lot							
	For 11 (Eleven) Units									
	CHB, 4" thick	264.00	pc							
	Portland Cement	32.00	bags							
	Sand	3.00	cu.m.							
	RSB, 10mm dia.x6m	76.60	kgs							
	PVC Pipe, 150mm dia.x3m, S-1000	23.00	pc.							
	Water Proofing	32.00	bags							
	#16 GI Tire Wire	2.00	kgs							
										Subtotal
										Unit Cost
36.0	FIRE SUPPRESSION SYSTEM	1.00	lot							
	63mm dia (2-1/2") Stand Pipe	4.00	pcs							
	1-1/2" dia GI Cross Main	31.00	pcs							
	1" dia GI Main Feed	32.00	pcs							
	1-1/2" dia Riser	7.00	pcs							
	2-1/2" GI Elbow	8.00	pcs							
	1-1/2" GI Elbow	7.00	pcs							
	2-1/2" GI Tee	2.00	pcs							
	1-1/2" GI Tee	21.00	pcs							
	1" GI Tee	54.00	pcs							
	1" x 1/2" dia Tee Reducer	11.00	pcs							
	1-1/2" x 1" dia Tee Reducer	54.00	pcs							
	1" x 1/2" dia Elbow Reducer	105.00	pcs							
	Hose Gate	1.00	set							
	Sprinkler Head	116.00	pcs							
	Dry Standpipe Fitting	1.00	pc							
	Fire hose Cabinet with 5.0kgs Multi-Purpose Fire Extinguisher	3.00	sets							
	Pipe Hanger Set	622.00	pcs							
	Siamese Twin for Fire Dept Connection, brass	1.00	unit							
	Stop Valve	1.00	pc							
	Valve Monitor	1.00	pc							
	Alarm Valve	1.00	set							
	Pressure Switch	1.00	pc							
	Flow Switch	2.00	pcs							
	Jacking Pump / Booster Pump	1.00	unit							
	Welding Rod	3.00	kgs							
										Subtotal
										Unit Cost
37.0	ELECTRICAL MAIN	1.00	lot							
	100 KVA, 1 phase, 13,200/240V/110V Pad mounted/Pole mounted transformer	3.00	unit							
	200mm THW/THHN Wire	180.00	meters							
	125mm THW/THHN Wire	60.00	meters							
	Service Entrance Cap	1.00	set							
	Main breaker MCCB 800AT, 800AF, 3P, 50KAIC, 230V, 60Hz	1.00	set							
	Kwhr meter, 3P, 230V, 60Hz	1.00	set							
	Splicing box with bus bar equivalent to 200mm capacity	1.00	set							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	Lighting panel-1 2P, 60AT, 100AF, 10KAIC, 240V, 60Hz, (6 branches: 5 sets of 2P, 15AT,15AF) NEMA type 1 enclosure	1.00	set							
	Lighting panel-2 2P, 60AT, 100AF, 10KAIC, 240V, 60Hz, (8 branches: 7 sets of 2P, 15AT,15AF) NEMA type 1 enclosure	1.00	set							
	Lighting panel-3 2P, 60AT, 100AF, 10KAIC, 240V, 60Hz, (8 branches: 7 sets of 2P, 15AT,15AF) NEMA type 1 enclosure	1.00	set							
	Lighting panel-4 2P, 60AT, 100AF, 10KAIC, 240V, 60Hz, (8 branches: 7 sets of 2P, 15AT,15AF) NEMA type 1 enclosure	1.00	set							
	Power panel-1 2P, 60AT, 100AF, 10KAIC, 240V, 60Hz, (6 branches: 5 sets of 2P, 20AT,20AF) NEMA type 1 enclosure	1.00	set							
	Power panel-2 2P, 60AT, 100AF, 10KAIC, 240V, 60Hz, (6 branches: 5 sets of 2P, 20AT,20AF) NEMA type 1 enclosure	1.00	set							
	Power panel-3 3P, 125AT, 250AF, 25KAIC, 240V, 60Hz, (10 branches: 8 sets of 2P, 20AT,20AF) NEMA type 1 enclosure	1.00	set							
	Power panel-4 2P, 100AT, 100AF, 10KAIC, 240V, 60Hz, (10 branches: 9 sets of 2P, 20AT,20AF) NEMA type 1 enclosure	1.00	set							
	Power panel-5 2P, 100AT, 100AF, 10KAIC, 240V, 60Hz, (8 branches: 7 sets of 2P, 20AT,20AF) NEMA type 1 enclosure	1.00	set							
	Power Panel ACU -6 3P, 100AT, 100AF, 25KAIC, 240V, 60Hz, (8 branches: 6 sets of 2P, 40AT,40AF) NEMA type 1 enclosure	1.00	set							
	Power Panel ACU -7 3P, 100AT, 100AF, 25KAIC, 240V, 60Hz, (8 branches: 6 sets of 2P, 40AT,40AF) NEMA type 1 enclosure	1.00	set							
	Power Panel ACU -8 3P, 100AT, 100AF, 25KAIC, 240V, 60Hz, (8 branches: 5 sets of 2P, 40AT,40AF) NEMA type 1 enclosure	1.00	set							
	Power Panel ACU -9 3P, 100AT, 100AF, 25KAIC, 240V, 60Hz, (8 branches: 5 sets of 2P, 40AT,40AF) NEMA type 1 enclosure	1.00	set							
	Power Panel ACU -10 3P, 100AT, 100AF, 25KAIC, 240V, 60Hz, (8 branches: 6 sets of 2P, 40AT,40AF) NEMA type 1 enclosure	1.00	set							
										Subtotal
										Unit Cost
38.0	ELECTRICAL LIGHTING	1.00	lot							
	GF-C1									
	5.5mm THW/THHN	100.00	meters							
	RSC pipe 20mm dia X 3 mtrs	17.00	pcs							
	3.5mm THW/THHN	100.00	meters							
	PVC pipe 15mm dia X 3 mrts	9.00	pcs							
	PVC, Junction box	7.00	pcs							
	PVC, Utility box	6.00	pcs							
	25 watts SMARTFORM LED Luminaire	8.00	pcs							
	Lux space gen III 8.5 LED downlight	3.00	pcs							
	Emergency light - Firefly FEL207L LED	2.00	pcs							
	Switch 1 way, 3 gang	1.00	pcs							
	Switch 1 way, 2 gang	4.00	pcs							
	GF-C2									
	3.5mm THW/THHN	155.00	meters							
	PVC pipe 15mm dia X 3 mrts	14.00	pcs							
	PVC, Junction box	9.00	pcs							
	PVC, Utility box	5.00	pcs							
	25 watts SMARTFORM LED Luminaire	2.00	pcs							
	Surface mounted 13 watts LED downlight	12.00	pcs							
	Lux space gen III 8.5 LED downlight	3.00	pcs							
	Emergency light - Firefly FEL207L LED	2.00	pcs							
	Switch 1 way, 2 gang	3.00	pcs							
	GF-C3									
	3.5mm THW/THHN	152.00	meters							
	PVC pipe 15mm dia X 3 mrts	18.00	pcs							
	PVC, Junction box	13.00	pcs							
	PVC, Utility box	8.00	pcs							
	Lux space gen III 12watts LED downlight	18.00	pcs							
	LED wall light 18 watts	4.00	pcs							
	Switch 1 way, 3 gang	1.00	pcs							
	Switch 1 way, 2 gang	2.00	pcs							
	GF-C4									
	3.5mm THW/THHN	66.00	meters							
	PVC pipe 15mm dia X 3 mrts	5.00	pcs							
	PVC, Junction box	9.00	pcs							
	PVC, Utility box	6.00	pcs							
	Lux space gen III 12watts LED downlight	4.00	pcs							
	Lux space gen III 8.5watts LED downlight	5.00	pcs							
	Emergency light - Firefly FEL207L LED	3.00	pcs							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	4 Watts Slim Led Batten	27.00	pcs							
	Exhaust fan (ceiling mounted)	1.00	pcs							
	Switch 1 way, 2 gang	1.00	pcs							
	Switch 1 way, 3 gang	1.00	pcs							
	GF-C5									
	3.5mm THW/THHN	149.00	meters							
	PVC pipe 15mm dia X 3 mrts	8.00	pcs							
	PVC, Junction box	9.00	pcs							
	PVC, Utility box	6.00	pcs							
	Lux space gen III 12watts LED downlight	6.00	pcs							
	Lux space gen III 8.5watts LED downlight	5.00	pcs							
	4 watts slim led batten	50.00	pcs							
	Emergency light	2.00	pcs							
	Switch 1 way, 3 gang	1.00	pcs							
	Switch 1 way, 2 gang	3.00	pcs							
	2F-C1									
	8.0mm THW/THHN	180.00	meters							
	RSC pipe 20mm dia X 3 mtrs	24.00	pcs							
	3.5mm THW/THHN	147.00	meters							
	PVC pipe 15mm dia X 3 mrts	18.00	pcs							
	PVC, Junction box	10.00	pcs							
	PVC, Utility box	8.00	pcs							
	25 watts SMARTFORM LED Luminaire	1.00	pcs							
	Surface mounted 13 watts LED downlight	12.00	pcs							
	Lux space gen III 12watts LED downlight	4.00	pcs							
	Emergency Light - Firefly FEL207L LED	2.00	pcs							
	Exhaust Fan (ceiling mounted)	1.00	pcs							
	Switch 1 way, 1 gang	1.00	pcs							
	Switch 1 way, 2 gang	3.00	pcs							
	Switch 1 way, 3 gang	1.00	pcs							
	2F-C2									
	3.5mm THW/THHN	68.00	meters							
	PVC pipe 15mm dia X 3 mrts	9.00	pcs							
	PVC, Junction box	9.00	pcs							
	PVC, Utility box	7.00	pcs							
	Lux space gen III 12watts LED downlight	4.00	pcs							
	Lux space gen III 8.5watts LED downlight	5.00	pcs							
	4 watts slim led batten	27.00	pcs							
	Emergency Light	3.00	pcs							
	Exhaust Fan (ceiling mounted)	1.00	pcs							
	Switch 1 way, 2 gang	1.00	pcs							
	Switch 1 way, 3 gang	2.00	pcs							
	2F-C3									
	3.5mm THW/THHN	93.00	meters							
	PVC pipe 15mm dia X 3 mrts	9.00	pcs							
	PVC, Junction box	9.00	pcs							
	PVC, Utility box	4.00	pcs							
	25 watts SMARTFORM LED Luminaire	1.00	pcs							
	4 watts slim led batten	30.00	pcs							
	Coreline Projector Led Light 33 watts	3.00	pcs							
	Emergency Light	2.00	pcs							
	Switch 1 way, 2 gang	1.00	pcs							
	Switch 1 way, 3 gang	2.00	pcs							
	2F-C4									
	3.5mm THW/THHN	123.00	meters							
	PVC pipe 15mm dia X 3 mrts	8.00	pcs							
	PVC, Junction box	10.00	pcs							
	PVC, Utility box	4.00	pcs							
	25 watts SMARTFORM LED Luminaire	1.00	pcs							
	4 watts slim led batten	30.00	pcs							
	Emergency Light	3.00	pcs							
	Switch 1 way, 2 gang	2.00	pcs							
	Switch 1 way, 3 gang	1.00	pcs							
	2F-C5									
	3.5mm THW/THHN	154.00	meters							
	PVC pipe 15mm dia X 3 mrts	14.00	pcs							
	PVC, Junction box	8.00	pcs							
	PVC, Utility box	5.00	pcs							
	25 watts SMARTFORM LED Luminaire	8.00	pcs							
	4 watts slim led batten	45.00	pcs							
	Emergency Light	2.00	pcs							
	Switch 1 way, 2 gang	1.00	pcs							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	Switch 1 way, 3 gang	3.00	pcs							
	2F-C6									
	3.5mm THW/THHN	117.00	meters							
	PVC pipe 15mm dia X 3 mrts	10.00	pcs							
	PVC, Junction box	5.00	pcs							
	PVC, Utility box	3.00	pcs							
	25 watts SMARTFORM LED Luminaire	11.00	pcs							
	4 watts slim led batten	25.00	pcs							
	Emergency Light	2.00	pcs							
	Switch 1 way, 2 gang	2.00	pcs							
	Switch 1 way, 3 gang	1.00	pcs							
	2F-C7									
	3.5mm THW/THHN	232.00	meters							
	PVC pipe 15mm dia X 3 mrts	15.00	pcs							
	PVC, Junction box	10.00	pcs							
	PVC, Utility box	8.00	pcs							
	33 Watts Smart Panel Led	6.00	pcs							
	Coreline Projector Led Light 33 watts	3.00	pcs							
	Switch 1 way, 2 gang	2.00	pcs							
	Switch 1 way, 3 gang	3.00	pcs							
	3F-C1									
	8.0mm THW/THHN	195.00	meters							
	RSC pipe 20mm dia X 3 mrts	26.00	pcs							
	3.5mm THW/THHN	284.00	meters							
	PVC pipe 15mm dia X 3 mrts	18.00	pcs							
	PVC, Junction box	15.00	pcs							
	PVC, Utility box	11.00	pcs							
	25 watts SMARTFORM LED Luminaire	12.00	pcs							
	Surface mounted 13 watts LED downlight	8.00	pcs							
	Emergency Light	3.00	pcs							
	Switch 1 way, 2 gang	4.00	pcs							
	Switch 1 way, 3 gang	4.00	pcs							
	3F-C2									
	3.5mm THW/THHN	246.00	meters							
	PVC pipe 15mm dia X 3 mrts	18.00	pcs							
	PVC, Junction box	12.00	pcs							
	PVC, Utility box	16.00	pcs							
	Essential smart bright led downlights, 7 watts square	20.00	pcs							
	Lux space gen III 12watts LED downlight	4.00	pcs							
	Emergency Light	4.00	pcs							
	Exhaust Fan (ceiling mounted)	2.00	pcs							
	Switch 1 way, 1 gang	2.00	pcs							
	Switch 1 way, 2 gang	6.00	pcs							
	Switch 1 way, 3 gang	4.00	pcs							
	3F-C3									
	3.5mm THW/THHN	269.00	meters							
	PVC pipe 15mm dia X 3 mrts	20.00	pcs							
	PVC, Junction box	24.00	pcs							
	PVC, Utility box	16.00	pcs							
	Essential smart bright led downlights, 7 watts square	20.00	pcs							
	Lux space gen III 12watts LED downlight	4.00	pcs							
	Emergency Light	4.00	pcs							
	Exhaust Fan (ceiling mounted)	2.00	pcs							
	Switch 1 way, 1 gang	2.00	pcs							
	Switch 1 way, 2 gang	6.00	pcs							
	Switch 1 way, 3 gang	4.00	pcs							
	3F-C4									
	3.5mm THW/THHN	324.00	meters							
	PVC pipe 15mm dia X 3 mrts	17.00	pcs							
	PVC, Junction box	17.00	pcs							
	PVC, Utility box	19.00	pcs							
	Essential smart bright led downlights, 7 watts square	18.00	pcs							
	Surface mounted 13 watts LED downlight	8.00	pcs							
	Lux space gen III 12watts LED downlight	4.00	pcs							
	Emergency Light	4.00	pcs							
	Exhaust Fan (ceiling mounted)	2.00	pcs							
	Switch 1 way, 1 gang	2.00	pcs							
	Switch 1 way, 2 gang	9.00	pcs							
	Switch 1 way, 3 gang	4.00	pcs							
	3F-C5									
	3.5mm THW/THHN	256.00	meters							
	PVC pipe 15mm dia X 3 mrts	17.00	pcs							
	PVC, Junction box	15.00	pcs							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	PVC, Utility box	16.00	pcs							
	Essential smart bright led downlights, 7 watts square	20.00	pcs							
	Lux space gen III 12watts LED downlight	4.00	pcs							
	Emergency Light	4.00	pcs							
	Exhaust Fan (ceiling mounted)	2.00	pcs							
	Switch 1 way, 1 gang	2.00	pcs							
	Switch 1 way, 2 gang	6.00	pcs							
	Switch 1 way, 3 gang	4.00	pcs							
	3F-C6									
	3.5mm THW/THHN	255.00	meters							
	PVC pipe 15mm dia X 3 mrts	19.00	pcs							
	PVC, Junction box	14.00	pcs							
	PVC, Utility box	14.00	pcs							
	Essential smart bright led downlights, 7 watts square	20.00	pcs							
	Lux space gen III 12watts LED downlight	4.00	pcs							
	Emergency Light	4.00	pcs							
	Exhaust Fan (ceiling mounted)	2.00	pcs							
	Switch 1 way, 2 gang	6.00	pcs							
	Switch 1 way, 3 gang	4.00	pcs							
	3F-C7									
	3.5mm THW/THHN	248.00	meters							
	PVC pipe 15mm dia X 3 mrts	24.00	pcs							
	PVC, Junction box	16.00	pcs							
	PVC, Utility box	13.00	pcs							
	Lux space gen III 12watts LED downlight	25.00	pcs							
	Emergency Light	5.00	pcs							
	Switch 1 way, 2 gang	3.00	pcs							
	Switch 1 way, 3 gang	5.00	pcs							
	Shower Heater with Jet Pump (Premium Quality) with complete accessories	10.00	units							
	RD-C1									
	8.0mm THW/THHN	234.00	meters							
	RSC pipe 20mm dia X 3 mrts	26.00	pcs							
	3.5mm THW/THHN	288.00	meters							
	PVC pipe 15mm dia X 3 mrts	17.00	pcs							
	PVC, Junction box	15.00	pcs							
	PVC, Utility box	8.00	pcs							
	Lux space gen III 12watts LED downlight	15.00	pcs							
	Emergency Light	1.00	pcs							
	Switch 1 way, 2 gang	1.00	pcs							
	Switch 1 way, 3 gang	7.00	pcs							
	RD-C2									
	3.5mm THW/THHN	202.00	meters							
	PVC pipe 15mm dia X 3 mrts	16.00	pcs							
	PVC, Junction box	13.00	pcs							
	PVC, Utility box	8.00	pcs							
	25 watts SMARTFORM LED Luminaire	4.00	pcs							
	Lux space gen III 12watts LED downlight	9.00	pcs							
	Emergency Light	8.00	pcs							
	Exhaust Fan (ceiling mounted)	3.00	pcs							
	Switch 1 way, 2 gang	3.00	pcs							
	Switch 1 way, 3 gang	3.00	pcs							
	RD-C3									
	3.5mm THW/THHN	197.00	meters							
	PVC pipe 15mm dia X 3 mrts	18.00	pcs							
	PVC, Junction box	16.00	pcs							
	PVC, Utility box	11.00	pcs							
	Surface mounted 13 watts LED downlight	8.00	pcs							
	Lux space gen III 12watts LED downlight	20.00	pcs							
	Emergency Light	2.00	pcs							
	Exhaust Fan (ceiling mounted)	2.00	pcs							
	Switch 1 way, 2 gang	3.00	pcs							
	Switch 1 way, 3 gang	3.00	pcs							
	RD-C4									
	3.5mm THW/THHN	259.00	meters							
	PVC pipe 15mm dia X 3 mrts	16.00	pcs							
	PVC, Junction box	8.00	pcs							
	PVC, Utility box	7.00	pcs							
	33 watts smartpanel led	14.00	pcs							
	Emergency Light	3.00	pcs							
	Switch 1 way, 2 gang	4.00	pcs							
	Switch 1 way, 3 gang	2.00	pcs							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	RD-C5									
	3.5mm THW/THHN	211.00	meters							
	PVC pipe 15mm dia X 3 mrts	16.00	pcs							
	PVC, Junction box	7.00	pcs							
	PVC, Utility box	5.00	pcs							
	33 watts smartpanel led	7.00	pcs							
	25 watts SMARTFORM LED Luminaire	5.00	pcs							
	Emergency Light	1.00	pcs							
	Switch 1 way, 2 gang	3.00	pcs							
	Switch 1 way, 3 gang	1.00	pcs							
	RD-C6									
	3.5mm THW/THHN	273.00	meters							
	PVC pipe 15mm dia X 3 mrts	19.00	pcs							
	PVC, Junction box	8.00	pcs							
	PVC, Utility box	9.00	pcs							
	33 watts smartpanel led	14.00	pcs							
	Emergency Light	3.00	pcs							
	Switch 1 way, 2 gang	4.00	pcs							
	Switch 1 way, 3 gang	2.00	pcs							
	RD-C7									
	3.5mm THW/THHN	118.00	meters							
	PVC pipe 15mm dia X 3 mrts	22.00	pcs							
	PVC, Junction box	8.00	pcs							
	PVC, Utility box	3.00	pcs							
	Surface mounted 13 watts LED downlight	1.00	pcs							
	Lux space gen III 12watts LED downlight	4.00	pcs							
	Lighting outlet for pendant lights	2.00	pcs							
	Lighting outlets for post lights	8.00	pcs							
	Switch 2 way, 1 gang	2.00	pcs							
	Switch 1 way, 3 gang	1.00	pcs							
										Subtotal
										Unit Cost
39.0	ELECTRICAL POWER	1.00	lot							
	P1-C1									
	22mm THW/THHN	100.00	meters							
	RSC pipe 20mm dia X 3 mtrs	17.00	pcs							
	3.5mm THW/THHN	52.00	meters							
	PVC pipe 15mm dia X 3 mrts	7.00	pcs							
	PVC, Junction box	2.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	3.00	pcs							
	Floor outlet (pop-out)	2.00	pcs							
	Weatherproof outlet	1.00	pcs							
	P1-C2									
	3.5mm THW/THHN	30.00	meters							
	PVC pipe 15mm dia X 3 mrts	6.00	pcs							
	PVC, Utility box	5.00	pcs							
	Duplex convenience outlet	3.00	pcs							
	Floor outlet (pop-out)	2.00	pcs							
	P1-C3									
	3.5mm THW/THHN	52.00	meters							
	PVC pipe 15mm dia X 3 mrts	8.00	pcs							
	PVC, Junction box	1.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	3.00	pcs							
	Duplex convenience outlet with GFCI	3.00	pcs							
	P1-C4									
	3.5mm THW/THHN	72.00	meters							
	PVC pipe 15mm dia X 3 mrts	12.00	pcs							
	PVC, Utility box	4.00	pcs							
	Duplex convenience outlet	3.00	pcs							
	Floor outlet (pop-out)	1.00	pcs							
	P1-C5									
	3.5mm THW/THHN	50.00	meters							
	PVC pipe 15mm dia X 3 mrts	9.00	pcs							
	PVC, Utility box	5.00	pcs							
	Duplex convenience outlet	5.00	pcs							
	P2-C1									
	22mm THW/THHN	120.00	meters							
	RSC pipe 20mm dia X 3 mtrs	20.00	pcs							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	3.5mm THW/THHN	78.00	meters							
	PVC pipe 15mm dia X 3 mrts	11.00	pcs							
	PVC, Junction box	2.00	pcs							
	PVC, Utility box	4.00	pcs							
	Duplex convenience outlet	3.00	pcs							
	Duplex convenience outlet with GFCI	1.00	pcs							
	P2-C2									
	3.5mm THW/THHN	54.00	meters							
	PVC pipe 15mm dia X 3 mrts	9.00	pcs							
	PVC, Junction box	3.00	pcs							
	PVC, Utility box	5.00	pcs							
	Duplex convenience outlet	3.00	pcs							
	Floor outlet (pop-out)	2.00	pcs							
	P2-C3									
	3.5mm THW/THHN	44.00	meters							
	PVC pipe 15mm dia X 3 mrts	8.00	pcs							
	PVC, Junction box	3.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	4.00	pcs							
	Floor outlet (pop-out)	2.00	pcs							
	P2-C4									
	3.5mm THW/THHN	72.00	meters							
	PVC pipe 15mm dia X 3 mrts	12.00	pcs							
	PVC, Junction box	3.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	3.00	pcs							
	Floor outlet (pop-out)	2.00	pcs							
	Weatherproof outlet	1.00	pcs							
	P2-C5									
	3.5mm THW/THHN	84.00	meters							
	PVC pipe 15mm dia X 3 mrts	14.00	pcs							
	PVC, Junction box	2.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	2.00	pcs							
	Floor outlet (pop-out)	4.00	pcs							
	P3-C1									
	22mm THW/THHN	130.00	meters							
	RSC pipe 20mm dia X 3 mrts	22.00	pcs							
	3.5mm THW/THHN	122.00	meters							
	PVC pipe 15mm dia X 3 mrts	21.00	pcs							
	PVC, Junction box	4.00	pcs							
	PVC, Utility box	7.00	pcs							
	Duplex convenience outlet	4.00	pcs							
	Duplex convenience outlet with GFCI	2.00	pcs							
	Weatherproof outlet	1.00	pcs							
	P3-C2									
	3.5mm THW/THHN	106.00	meters							
	PVC pipe 15mm dia X 3 mrts	18.00	pcs							
	PVC, Junction box	3.00	pcs							
	PVC, Utility box	5.00	pcs							
	Duplex convenience outlet	3.00	pcs							
	Duplex convenience outlet with GFCI	2.00	pcs							
	P3-C3									
	3.5mm THW/THHN	82.00	meters							
	PVC pipe 15mm dia X 3 mrts	14.00	pcs							
	PVC, Junction box	2.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	4.00	pcs							
	Duplex convenience outlet with GFCI	2.00	pcs							
	P3-C4									
	3.5mm THW/THHN	78.00	meters							
	PVC pipe 15mm dia X 3 mrts	13.00	pcs							
	PVC, Junction box	2.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	4.00	pcs							
	Duplex convenience outlet with GFCI	2.00	pcs							
	P3-C5									
	3.5mm THW/THHN	70.00	meters							
	PVC pipe 15mm dia X 3 mrts	12.00	pcs							
	PVC, Junction box	2.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	4.00	pcs							
	Duplex convenience outlet with GFCI	2.00	pcs							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	P3-C6									
	3.5mm THW/THHN	80.00	meters							
	PVC pipe 15mm dia X 3 mrts	14.00	pcs							
	PVC, Junction box	2.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	4.00	pcs							
	Duplex convenience outlet with GFCI	2.00	pcs							
	P3-C7									
	3.5mm THW/THHN	64.00	meters							
	PVC pipe 15mm dia X 3 mrts	11.00	pcs							
	PVC, Junction box	3.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	6.00	pcs							
	P3-C8									
	3.5mm THW/THHN	30.00	meters							
	PVC pipe 15mm dia X 3 mrts	5.00	pcs							
	PVC, Utility box	1.00	pcs							
	Duplex convenience outlet - exclusive for Ref appliance	1.00	pcs							
	P4-C1									
	22mm THW/THHN	130.00	meters							
	RSC pipe 20mm dia X 3 mrts	22.00	pcs							
	3.5mm THW/THHN	66.00	meters							
	PVC pipe 15mm dia X 3 mrts	11.00	pcs							
	PVC, Junction box	2.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	4.00	pcs							
	Duplex convenience outlet with GFCI	2.00	pcs							
	P4-C2									
	3.5mm THW/THHN	68.00	meters							
	PVC pipe 15mm dia X 3 mrts	12.00	pcs							
	PVC, Junction box	3.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	2.00	pcs							
	Duplex convenience outlet with GFCI	2.00	pcs							
	Weatherproof outlet	1.00	pcs							
	P4-C3									
	3.5mm THW/THHN	62.00	meters							
	PVC pipe 15mm dia X 3 mrts	11.00	pcs							
	PVC, Junction box	2.00	pcs							
	PVC, Utility box	4.00	pcs							
	Duplex convenience outlet	4.00	pcs							
	P4-C4									
	3.5mm THW/THHN	74.00	meters							
	PVC pipe 15mm dia X 3 mrts	13.00	pcs							
	PVC, Junction box	2.00	pcs							
	PVC, Utility box	5.00	pcs							
	Duplex convenience outlet	2.00	pcs							
	Duplex convenience outlet with GFCI	2.00	pcs							
	Weatherproof outlet	1.00	pcs							
	P4-C5									
	3.5mm THW/THHN	68.00	meters							
	PVC pipe 15mm dia X 3 mrts	12.00	pcs							
	PVC, Junction box	1.00	pc							
	PVC, Utility box	4.00	pcs							
	Duplex convenience outlet	4.00	pcs							
	P4-C6									
	3.5mm THW/THHN	84.00	meters							
	PVC pipe 15mm dia X 3 mrts	14.00	pcs							
	PVC, Junction box	3.00	pcs							
	PVC, Utility box	5.00	pcs							
	Duplex convenience outlet	2.00	pcs							
	Duplex convenience outlet with GFCI	2.00	pcs							
	Weatherproof outlet	1.00	pcs							
	P4-C7									
	3.5mm THW/THHN	84.00	meters							
	PVC pipe 15mm dia X 3 mrts	14.00	pcs							
	PVC, Junction box	2.00	pcs							
	PVC, Utility box	4.00	pcs							
	Duplex convenience outlet	4.00	pcs							
	P4-C8									
	3.5mm THW/THHN	94.00	meters							
	PVC pipe 15mm dia X 3 mrts	16.00	pcs							
	PVC, Junction box	2.00	pcs							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	PVC, Utility box	5.00	pcs							
	Duplex convenience outlet	2.00	pcs							
	Duplex convenience outlet with GFCI	2.00	pcs							
	Weatherproof outlet	1.00	pcs							
	P4-C9									
	3.5mm THW/THHN	80.00	meters							
	PVC pipe 15mm dia X 3 mrts	14.00	pcs							
	PVC, Junction box	2.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	4.00	pcs							
	Duplex convenience outlet with GFCI	2.00	pcs							
	P5-C1									
	22mm THW/THHN	156.00	meters							
	RSC pipe 20mm dia X 3 mrts	22.00	pcs							
	3.5mm THW/THHN	50.00	meters							
	PVC pipe 15mm dia X 3 mrts	9.00	pcs							
	PVC, Junction box	3.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	5.00	pcs							
	Duplex convenience outlet with GFCI	1.00	pcs							
	P5-C2									
	3.5mm THW/THHN	110.00	meters							
	PVC pipe 15mm dia X 3 mrts	18.00	pcs							
	PVC, Junction box	1.00	pcs							
	PVC, Utility box	4.00	pcs							
	Duplex convenience outlet	1.00	pcs							
	Floor outlet (pop-out)	2.00	pcs							
	Weatherproof outlet	1.00	pcs							
	P5-C3									
	3.5mm THW/THHN	68.00	meters							
	PVC pipe 15mm dia X 3 mrts	12.00	pcs							
	PVC, Junction box	3.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	4.00	pcs							
	Weatherproof outlet	2.00	pcs							
	P5-C4									
	3.5mm THW/THHN	116.00	meters							
	PVC pipe 15mm dia X 3 mrts	20.00	pcs							
	PVC, Junction box	2.00	pcs							
	PVC, Utility box	4.00	pcs							
	Duplex convenience outlet	2.00	pcs							
	Floor outlet (pop-out)	2.00	pcs							
	P5-C5									
	3.5mm THW/THHN	96.00	meters							
	PVC pipe 15mm dia X 3 mrts	16.00	pcs							
	PVC, Junction box	3.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	4.00	pcs							
	Weatherproof outlet	2.00	pcs							
	P5-C6									
	3.5mm THW/THHN	100.00	meters							
	PVC pipe 15mm dia X 3 mrts	17.00	pcs							
	PVC, Junction box	4.00	pcs							
	PVC, Utility box	6.00	pcs							
	Duplex convenience outlet	3.00	pcs							
	Duplex convenience outlet with GFCI	2.00	pcs							
	Weatherproof outlet	1.00	pcs							
	P5-C7									
	3.5mm THW/THHN	56.00	meters							
	PVC pipe 15mm dia X 3 mrts	10.00	pcs							
	PVC, Junction box	2.00	pcs							
	PVC, Utility box	4.00	pcs							
	Duplex convenience outlet	1.00	pcs							
	Weatherproof outlet	3.00	pcs							
									Subtotal	
									Unit Cost	
40.0	ELECTRICAL - ACU	1.00	lot							
	P6-C1, From Powerhouse									
	50mm THW/THHN	150.00	meters							
	RSC pipe 40mm dia X 3 mrts	17.00	pcs							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	8.0mm THW/THHN	18.00	meters							
	PVC pipe 15mm dia X 3 mrts	3.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet - Polarized 3 - Prongs	1.00	pcs							
	P6-ACU-C2									
	8.0mm THW/THHN	24.00	meters							
	PVC pipe 15mm dia X 3 mrts	4.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet - Polarized 3 - Prongs	1.00	pcs							
	P6-ACU-C3									
	8.0mm THW/THHN	20.00	meters							
	PVC pipe 15mm dia X 3 mrts	4.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P6-ACU-C4									
	8.0mm THW/THHN	20.00	meters							
	PVC pipe 15mm dia X 3 mrts	4.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P6-ACU-C5									
	8.0mm THW/THHN	36.00	meters							
	PVC pipe 15mm dia X 3 mrts	6.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P6-ACU-C6									
	8.0mm THW/THHN	48.00	meters							
	PVC pipe 15mm dia X 3 mrts	8.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P7-C1									
	50mm THW/THHN	180.00	meters							
	RSC pipe 40mm dia X 3 mrts	20.00	pcs							
	8.0mm THW/THHN	36.00	meters							
	PVC pipe 15mm dia X 3 mrts	5.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P7-C2									
	8.0mm THW/THHN	36.00	meters							
	PVC pipe 15mm dia X 3 mrts	6.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P7-C3									
	8.0mm THW/THHN	20.00	meters							
	PVC pipe 15mm dia X 3 mrts	4.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P7-C4									
	8.0mm THW/THHN	18.00	meters							
	PVC pipe 15mm dia X 3 mrts	3.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P7-C5									
	8.0mm THW/THHN	18.00	meters							
	PVC pipe 15mm dia X 3 mrts	3.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P7-C6									
	8.0mm THW/THHN	38.00	meters							
	PVC pipe 15mm dia X 3 mrts	7.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P8-C1									
	50mm THW/THHN	195.00	meters							
	RSC pipe 40mm dia X 3 mrts	22.00	pcs							
	8.0mm THW/THHN	78.00	meters							
	PVC pipe 15mm dia X 3 mrts	13.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P8-C2									
	8.0mm THW/THHN	64.00	meters							
	PVC pipe 15mm dia X 3 mrts	11.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	P8-C3									
	8.0mm THW/THHN	58.00	meters							
	PVC pipe 15mm dia X 3 mrts	10.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P8-C4									
	8.0mm THW/THHN	44.00	meters							
	PVC pipe 15mm dia X 3 mrts	8.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P8-C5									
	8.0mm THW/THHN	38.00	meters							
	PVC pipe 15mm dia X 3 mrts	7.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P9-C1									
	50mm THW/THHN	195.00	meters							
	RSC pipe 40mm dia X 3 mrts	22.00	pcs							
	8.0mm THW/THHN	24.00	meters							
	PVC pipe 15mm dia X 3 mrts	4.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P9-C2									
	8.0mm THW/THHN	44.00	meters							
	PVC pipe 15mm dia X 3 mrts	8.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P9-C3									
	8.0mm THW/THHN	58.00	meters							
	PVC pipe 15mm dia X 3 mrts	10.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P9-C4									
	8.0mm THW/THHN	66.00	meters							
	PVC pipe 15mm dia X 3 mrts	11.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P9-C5									
	8.0mm THW/THHN	78.00	meters							
	PVC pipe 15mm dia X 3 mrts	13.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P10-C1									
	50mm THW/THHN	234.00	meters							
	RSC pipe 40mm dia X 3 mrts	26.00	pcs							
	8.0mm THW/THHN	22.00	meters							
	PVC pipe 15mm dia X 3 mrts	4.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P10-C2									
	8.0mm THW/THHN	38.00	meters							
	PVC pipe 15mm dia X 3 mrts	7.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P10-C3									
	8.0mm THW/THHN	50.00	meters							
	PVC pipe 15mm dia X 3 mrts	9.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P10-C4									
	8.0mm THW/THHN	40.00	meters							
	PVC pipe 15mm dia X 3 mrts	7.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P10-C5									
	8.0mm THW/THHN	56.00	meters							
	PVC pipe 15mm dia X 3 mrts	10.00	pcs							
	PVC, Utility box	1.00	pcs							
	ACU power outlet	1.00	pcs							
	P10-C6									
	8.0mm THW/THHN	72.00	meters							
	PVC pipe 15mm dia X 3 mrts	18.00	pcs							
	PVC, Utility box	1.00	pcs							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	ACU power outlet	1.00	pcs							
										Subtotal
										Unit Cost
41.0	FIRE DETECTION AND ALARM SYSTEM	1.00	lot							
	GF FDAS-C1									
	FACP - 10-zones Style B Contol Panel, 24 volts	1.00	set							
	Manual pull alarm	3.00	set							
	3.5mm THW/THHN	64.00	meters							
	PVC pipe 15mm dia X 3 mrts	13.00	pcs							
	PVC, Junction box	5.00	pcs							
	PVC, Utility box, manual pull box	1.00	pcs							
	Smoke Detector	5.00	pcs							
	FDAS-C2									
	3.5mm THW/THHN	62.00	meters							
	PVC pipe 15mm dia X 3 mrts	17.00	pcs							
	PVC, Junction box	4.00	pcs							
	PVC, Utility box, manual pull box	1.00	pcs							
	Smoke Detector	4.00	pcs							
	FDAS-C3									
	3.5mm THW/THHN	62.00	meters							
	PVC pipe 15mm dia X 3 mrts	17.00	pcs							
	PVC, Junction box	4.00	pcs							
	PVC, Utility box, manual pull box	1.00	pcs							
	Smoke Detector	4.00	pcs							
	2F FDAS-C1									
	Manual pull alarm	2.00	set							
	3.5mm THW/THHN	103.00	meters							
	PVC pipe 15mm dia X 3 mrts	20.00	pcs							
	PVC, Junction box	8.00	pcs							
	PVC, Utility box, manual pull box	1.00	pcs							
	Smoke Detector	8.00	pcs							
	FDAS-C2									
	3.5mm THW/THHN	116.00	meters							
	PVC pipe 15mm dia X 3 mrts	25.00	pcs							
	PVC, Junction box	8.00	pcs							
	PVC, Utility box, manual pull box	1.00	pcs							
	Smoke Detector	8.00	pcs							
	3F FDAS-C1									
	Manual pull alarm	2.00	set							
	3.5mm THW/THHN	100.00	meters							
	PVC pipe 15mm dia X 3 mrts	26.00	pcs							
	PVC, Junction box	6.00	pcs							
	PVC, Utility box, manual pull box	1.00	pcs							
	Smoke Detector	6.00	pcs							
	FDAS-C2									
	3.5mm THW/THHN	131.00	meters							
	PVC pipe 15mm dia X 3 mrts	23.00	pcs							
	PVC, Junction box	6.00	pcs							
	PVC, Utility box, manual pull box	1.00	pcs							
	Smoke Detector	6.00	pcs							
	RD FDAS-C1									
	Manual pull alarm	1.00	set							
	3.5mm THW/THHN	84.00	meters							
	PVC pipe 15mm dia X 3 mrts	14.00	pcs							
	PVC, Junction box	1.00	pcs							
	PVC, Utility box, manual pull box	1.00	pcs							
	Smoke Detector	1.00	pcs							
										Subtotal
										Unit Cost
42.0	AIRCONDITIONING UNITS	28.00	units							
	3 Ton Airconditioning unit (split type) Floor mount	18.00	unit							
	3 Ton Airconditioning unit (split type) Ceiling wall mount	10.00	unit							
										Subtotal
										Unit Cost

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
43.0	GENERATOR SET	1.00	unit							
	BRAND NEW, GENERATOR SET, Rated 250 kw/250 kva @ 3 pHASE, 60 hz, Opne Type, 220-240 Volts, 1800 RPM, 0.80 Poer Factor, Turbo-charged, Air-to-air aftercooled, self-excitation, Complete with Standard Accessories. Additional Attachemty/Services : (1) Shipped Loosed Rubber Type Vibration Islolators, (2) Flexible Exhaust Fitting and Elbow, (3) Shipped Loosed Muffler, (4) Batteries and Battery Charger, (5) Circuit Breaker, (and (6) Skid base Fuel Tank; AND SOUND ATTENUATED ENCLOSURE (SAE) Locally fabricated) ROCKWOOL TYPE, with Automatic Transfer Switch Includes: Free tapping & installation, Load-Balancing, Insulation Test, Grounding test, Dummy Load test, Trainings with certificate from supplier	1.00	unit							
										Subtotal
										Unit Cost
44.0	FABRICATION & INSTALLATION OF OFFICE & DORMITORY FACILITIES	1.00	lot							
	OFFICE AREA									
	Built-up Reception Counter, Granite Slab top, 3/4" Marine Plywood or 3/4" Phenolic Frame/Body with polished brass COA Logo and Lettering 0.50mx3.2m	1	unit							
	Office Table	5	units							
	Office Swivel Chair	5	unit							
	Metal Filing Cabinet, 4 layers, Big	2	units							
	3in1 CIS Printer Multi-Function Wifi	1	units							
	Paper Shredding Machine, Automatic	1	unit							
	ENTRANCE									
	1-seater Table (Guard-on-Duty)	1.00	unit							
	Monoblock Chair, Heavy-Duty	1.00	unit							
	Metal Detector, Hand-held	1.00	units							
	MEETING ROOM									
	12-seater Wooden Conference Table w/ 12 units Wooden Chair (Hardwood)	1.00	set							
	HD Smart LED Projector	1.00	unit							
	Projector Screen, Portable	1.00	unit							
	Complete Portable Wireless Sound System w/ 2 Microphones	1.00	unit							
	Drinking Water Dispenser, Hot & Cold Bottom Load Automatic	1.00	unit							
	FUNCTION ROOM 1									
	8-seater HDPE Round Table, Heavy Duty, Fold-in-half, 1.5m	6.00	sets							
	Monoblock Plastic Chair, Heavy Duty	48.00	units							
	HD Smart LED Projector	1.00	units							
	Projector Screen, Portable	1.00	units							
	Complete Portable Sound System w/ 2 Microphones (Wireless)	1.00	unit							
	Drinking Water Dispenser, Hot & Cold Bottom Load Automatic	2.00	unit							
	FUNCTION ROOM 2									
	HD Smart LED Projector	2.00	units							
	Projector Screen, Portable	2.00	units							
	Complete Surround Sound System w/ 4 Microphones, Wireless	1.00	unit							
	FUNCTION ROOM 3									
	HD Smart LED Projector	4.00	units							
	Curtain Projector Screen	4.00	units							
	Complete Surround Sound System w/ 4 Microphones, Wireless	1.00	unit							
	Built-up Wooden Podium Stand Platform w/ COA Logo	2.00	unit							
	GF PANTRY & 3F PANTRY									
	Coffee Maker Machine, Automatic, 10-cup capacity	2.00	units							
	Drinking Water Dispenser, Hot & Cold Bottom Load Automatic	2.00	units							
	2F KITCHEN									
	2-Door Refrigerator, Inverter Type, No Frost, Bottom Freezer, 12.6cu.ft.	1.00	units							
	Gas Stove	1.00	units							
	LPG Gas Tank	2.00	units							
	Kitchenware Plates	30.00	units							

ITEM NO.	WORK ITEM/DESCRIPTION	QTY	UNIT	MATERIAL COST	LABOR COST	EQPT. COST	TOTAL DIRECT COST	OCM + PROFIT	VAT 5%	TOTAL AMOUNT
	Kitchenware Spoon & Fork	30.00	pairs							
	Kitchenware Drinking Glass	30.00	pcs							
	Kitchenware Cup w/ Saucer	30.00	sets							
	Knives & Cutting Board, set	1.00	sets							
	2 Layer Dish Rack w/ Cover	3.00	units							
	Stainless Food Warmer w/ Glass Cover	4.00	sets							
	Trash Bin, Big	1.00	unit							
	Cookingware, Set	1.00	sets							
	Food Container Caserole, Set	1.00	sets							
	2F DINING									
	6-seater Rectangular Dining Table Set w/ Dining Chairs, Wooden	5.00	units							
	Drinking Water Dispenser, Hot & Cold Bottom Load Automatic	2.00	units							
	EXECUTIVE ROOMS 1 & 2									
	Bed Frame, Queen Size w/ side tables, Solid Wood	2.00	set							
	Mattress Queen 6"	2.00	units							
	Lamp Shade	2.00	units							
	2 seater Dining Table	2.00	units							
	50" Smart TV, Full HD	2.00	units							
	Stainless Thermos, 2L	2.00	units							
	Coffee Cup w/ Saucer, Porcelain	4.00	sets							
	4in1 Comforter Set, Hotel Quality Fitted Sheet, Comforter Blanket, Pillow Cases	4.00	units							
	Pillow, Big 20x30	4.00	pcs							
	Towel, Big	8.00	pcs							
	Clothes Hanger, Solid Wood	12.00	pcs							
	Mirror, Big (Body Size)	2.00	units							
	GUEST ROOM 1,2,3,4,5,6,7,8									
	Bed Frame, Single, Metal Folding	40.00	units							
	4" Uratex Foam, Single	40.00	units							
	Bed Sheet Cover Set w/ 2 Pillow Cover, Fitted Single	40.00	pcs							
	Pillow	40.00	pcs							
	Blanket	40.00	pcs							
									Subtotal	
									Unit Cost	
45.0	POWERHOUSE	1.00	lot							
	1 unit 5mx7m Powerhouse	35.00	sq.m.							
	Refer to additional plans								Subtotal	
									Unit Cost	
46.0	MISCELLANEOUS ITEMS	1.00	lot							
	1 unit bronze COA seal, 1.0 m diameter	1.00	unit							
	1 set bronze Commission on Audit RO-IX lettering	1.00	set							
	1 set bronze Training Center Building lettering	1.00	set							
	All in mirror finish								Subtotal	
									Unit Cost	

Submitted by:

Name of Contractor:

Date: